

Elendoo ELOP (R2, 2016)

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	21	21	21	21	21
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7
Inlet Water Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36
Outlet Water Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28
ELOP-5020A in m ³ /h	30.5	42.9	49.5	25.7	40.8	34.8	49.0	56.6	29.4	46.7	39.9	56.3	65.1	33.8	53.8	43.9	61.9	71.6	37.2	59.3	50.8	71.7	82.9	43.1	68.7
ELOP-6030A in m ³ /h	33.9	47.7	55.0	28.6	45.3	38.6	54.5	62.9	32.7	51.9	44.3	62.6	72.3	37.5	59.8	48.8	68.8	79.6	41.3	65.9	56.4	79.7	92.1	47.9	76.4
ELOP-8040A in m ³ /h	36.9	51.9	59.9	31.1	49.4	42.1	59.3	68.5	35.6	56.5	48.3	68.1	78.7	40.9	65.1	53.1	74.9	86.6	45.0	71.7	61.4	86.7	100.3	52.2	83.2
ELOP-1205A in m ³ /h	40.6	57.2	66.0	34.3	54.4	46.4	65.4	75.5	39.2	62.3	53.2	75.1	86.8	45.1	71.7	58.5	82.6	95.5	49.6	79.0	67.7	95.6	110.5	57.5	91.7
ELOP-1405A in m ³ /h	57.5	81.0	93.6	48.6	77.1	65.7	92.6	107.0	55.5	88.3	75.4	106.4	122.9	63.8	101.6	82.9	117.0	135.2	70.3	111.9	95.9	135.4	156.6	81.4	129.8
ELOP-1707A in m ³ /h	66.9	94.3	108.8	56.5	89.7	76.4	107.7	124.5	64.6	102.7	87.7	123.8	143.0	74.3	118.2	96.4	136.1	157.3	81.7	130.2	111.6	157.6	182.2	94.7	151.1
ELOP-2011A in m ³ /h	76.7	108.1	124.7	64.8	102.7	87.6	123.5	142.6	74.0	117.7	100.5	141.8	163.9	85.1	135.5	110.5	156.0	180.3	93.7	149.3	127.9	180.6	208.8	108.6	173.1
ELOP-2215A in m ³ /h	110.2	155.2	179.2	93.0	147.6	125.8	177.3	204.9	106.3	169.1	144.4	203.7	235.4	122.2	194.6	158.7	224.1	259.0	134.6	214.4	183.7	259.4	299.9	155.9	248.7
ELOP-3022A in m ³ /h	148.6	209.2	241.5	125.4	199.0	169.6	239.1	276.2	143.4	227.9	194.6	274.6	317.4	164.8	262.4	214.0	302.1	349.2	181.4	289.0	247.6	349.6	404.3	210.2	335.2
ELOP-4011A in m ³ /h	153.5	216.1	249.5	129.5	205.5	175.1	247.0	285.3	148.1	235.4	201.0	283.7	327.9	170.2	271.0	221.1	312.0	360.6	187.4	298.5	255.8	361.2	417.6	217.1	346.3
ELOP-4415A in m ³ /h	220.4	310.4	358.3	186.0	295.2	251.6	354.7	409.7	212.7	338.1	288.8	407.4	470.9	244.5	389.3	317.5	448.1	518.0	269.1	428.8	367.3	518.7	599.7	311.8	497.3
ELOP-6022A in m ³ /h	297.1	418.5	483.1	250.8	397.9	339.1	478.2	552.4	286.7	455.9	389.3	549.3	634.8	329.6	524.8	428.0	604.2	698.3	362.8	578.0	495.2	699.3	808.5	420.4	670.5

26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
24	24	24	24	24	27	27	27	27	27	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	5	5.56	5	5
4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4
34	36	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37
28	30	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32
59.0	83.3	96.4	50.2	80.0	68.8	97.2	112.4	58.6	93.5	76.4	107.8	124.8	65.1	104.0	90.5	127.8	147.9	77.3	123.5	81.2	65.3	93.0	81.0
65.5	92.6	107.1	55.7	88.9	76.4	108.0	124.9	65.1	103.9	84.8	119.8	138.6	72.3	115.5	100.6	142.0	164.3	85.9	137.2	90.3	72.5	103.3	90.0
71.4	100.8	116.6	60.7	96.8	83.2	117.6	136.0	70.9	113.2	92.4	130.5	150.9	78.8	125.8	109.5	154.7	178.9	93.5	149.4	98.3	79.0	112.5	98.0
78.7	111.1	128.5	66.9	106.7	91.7	129.6	149.8	78.1	124.7	101.8	143.8	166.3	86.8	138.6	120.7	170.5	197.2	103.1	164.7	108.3	87.0	124.0	108.0
111.4	157.4	182.0	94.7	151.2	129.9	183.5	212.3	110.6	176.7	144.2	203.7	235.6	123.0	196.4	171.0	241.5	279.4	146.0	233.3	153.4	123.3	175.7	153.0
129.6	183.1	211.7	110.2	175.9	151.2	213.5	247.0	128.7	205.5	167.8	237.0	274.2	143.1	228.4	198.9	280.9	325.0	169.9	271.4	178.5	143.4	204.4	178.0
148.6	209.8	242.7	126.3	201.6	173.2	244.7	283.0	147.5	235.5	192.3	271.6	314.2	163.9	261.8	228.0	322.0	372.5	194.7	311.0	204.6	164.4	234.2	204.0
213.4	301.4	348.5	181.4	289.5	248.8	351.5	406.5	211.9	338.3	276.2	390.1	451.3	235.5	376.0	327.4	462.4	535.0	279.6	446.7	293.8	236.1	336.4	293.0
287.7	406.3	469.9	244.6	390.3	335.5	473.8	548.1	285.7	456.1	372.4	525.9	608.4	317.5	506.9	441.4	623.4	721.2	377.0	602.2	396.1	318.3	453.5	395.0
297.1	419.7	485.3	252.6	403.2	346.5	489.4	566.1	295.1	471.1	384.6	543.2	628.4	327.9	523.6	456.0	643.9	745.0	389.4	622.0	409.2	328.7	468.4	408.0
426.8	602.8	697.1	362.8	579.1	497.7	702.9	813.1	423.8	676.6	552.4	780.2	902.5	471.0	752.0	654.9	924.9	1070.0	559.3	893.4	587.7	472.2	672.8	586.0
575.3	812.6	939.7	489.1	780.7	670.9	947.6	1096.1	571.3	912.2	744.7	1051.9	1216.7	634.9	1013.8	882.9	1246.9	1442.5	754.0	1204.4	792.3	636.5	907.0	790.0