

Korytko KDI R1, 2016

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	60	65	65	65	65	65	70	70	70	70	70
Cold Water °F	10	10	10	15	15	62	65	67	62	67	67	70	72	67	72	72	75	77	72	77	77	80	82	77	82
Range °F	7	10	12	7	12	10	10	10	15	15	10	10	10	10	15	10	10	10	15	15	10	10	10	15	15
Approach °F	67	70	72	72	77	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12
Inlet Water Temperature °F	57	60	62	57	62	72	75	77	77	82	77	80	82	82	87	82	85	87	87	92	87	90	92	92	97
KDI-0404A-2	64	84	98	50	77	71	94	110	57	85	79	106	123	64	97	90	119	138	72	109	101	133	156	81	123
KDI-0404A-3	73	97	113	57	87	81	107	126	65	98	91	122	142	73	111	103	136	158	83	124	116	153	178	93	140
KDI-0404A-5	86	114	135	67	104	97	129	150	78	117	109	144	169	87	132	123	162	189	98	148	138	182	212	111	168
KDI-0406A-2	72	96	112	57	87	80	107	125	65	98	91	120	140	73	110	103	136	158	83	124	116	152	177	93	140
KDI-0406A-3	83	110	129	65	100	93	124	144	74	112	104	138	162	84	126	118	156	182	94	143	132	175	204	107	160
KDI-0406A-5	99	131	153	77	119	110	146	171	89	133	124	165	192	99	151	140	185	216	112	169	158	208	242	127	191
KDI-0505A-2	83	110	129	64	99	92	123	143	74	111	104	138	160	84	126	117	155	181	94	142	132	173	203	106	159
KDI-0505A-3	94	126	148	73	114	106	140	164	85	127	119	158	184	96	145	135	178	207	109	163	151	199	232	122	183
KDI-0505A-5	113	150	176	87	137	126	168	196	101	152	142	189	219	114	172	160	211	247	129	194	181	238	277	145	218
KDI-0505A-7.5	130	172	202	100	157	145	192	225	117	175	163	216	253	131	198	184	243	283	148	222	207	274	319	166	250
KDI-0606A-3	124	165	192	97	150	139	184	216	111	168	156	208	242	125	190	176	232	271	142	212	198	262	304	160	241
KDI-0606A-5	148	196	229	114	178	165	219	256	132	199	185	247	288	149	225	210	277	323	169	254	236	312	362	190	286
KDI-0606A-7.5	170	225	263	131	204	189	251	294	152	229	212	283	330	171	258	241	317	371	194	290	270	358	415	218	328
KDI-0707A-5	178	236	276	138	215	198	264	309	159	240	223	296	346	179	271	253	334	388	203	304	284	375	437	229	343
KDI-0707A-7.5	204	271	317	158	247	228	303	355	183	276	257	341	398	207	312	289	384	446	232	350	327	431	502	263	395
KDI-0707A-10	225	300	350	175	273	251	335	392	202	304	283	376	439	228	343	320	422	492	257	386	360	476	553	290	435
KDI-0806A-3	142	188	218	110	170	157	209	244	126	190	177	235	275	143	215	199	264	308	160	242	225	297	346	182	273
KDI-0806A-5	168	223	261	131	203	188	249	291	151	227	211	281	327	170	256	238	315	367	191	288	268	354	412	216	325
KDI-0806A-7.5	194	256	300	150	232	216	287	335	173	261	243	322	376	195	295	274	362	421	219	330	308	407	474	249	373
KDI-0806A-10	214	283	330	165	257	238	316	371	191	288	268	356	415	215	326	302	400	466	243	366	341	450	523	275	412
KDI-0808A-5	214	283	330	165	257	238	316	369	191	288	268	355	415	215	325	302	400	465	243	365	340	450	523	274	412
KDI-0808A-7.5	244	325	380	190	295	273	363	425	219	330	307	408	476	247	373	347	459	535	278	419	391	516	599	315	473
KDI-0808A-10	269	358	419	209	326	301	400	468	242	363	339	450	525	273	411	382	505	589	307	461	431	569	661	347	522
KDI-0808A-15	309	411	480	240	373	346	459	537	277	418	388	516	602	313	472	439	579	676	353	530	494	653	759	398	598
KDI-0808B-10	286	373	433	231	342	319	415	481	258	382	356	464	537	290	427	400	519	599	327	479	448	582	671	368	539
KDI-0808B-15	327	426	493	264	391	363	474	549	295	435	407	529	612	332	487	455	592	684	373	548	512	664	766	420	615
KDI-0810A-7.5	286	379	443	222	345	319	424	496	256	386	359	477	556	288	435	405	536	624	326	490	455	602	701	367	552
KDI-0810A-10	315	418	489	244	380	352	467	546	282	425	395	525	612	317	479	446	590	687	359	539	503	663	772	405	608
KDI-0810A-15	361	479	561	280	435	404	536	627	323	487	453	603	703	365	551	512	677	788	412	618	577	761	886	465	697
KDI-0810A-20	398	529	617	309	480	445	591	690	356	537	499	664	774	401	607	564	746	868	453	682	635	839	976	512	769
KDI-0810B-15	381	498	577	308	457	425	553	642	345	510	476	618	716	387	570	533	693	800	435	640	598	776	896	491	719
KDI-0810B-20	419	548	634	339	503	467	609	706	379	561	523	680	787	426	627	585	761	879	479	703	658	853	984	540	789
KDI-0811A-7.5	297	395	463	231	360	333	443	517	267	402	374	497	579	301	454	422	558	650	340	511	476	628	730	384	576
KDI-0811A-10	329	437	510	255	396	367	489	571	295	444	413	549	640	332	502	466	616	719	374	563	525	693	807	424	636
KDI-0811A-15	378	502	585	293	455	421	561	655	339	510	474	630	735	381	576	535	708	825	430	647	603	795	926	486	729
KDI-0811A-20	417	552	645	323	502	465	618	722	373	562	523	694	809	420	635	590	780	909	474	713	664	877	1021	536	805
KDI-0811B-15	400	523	605	323	479	446	582	674	362	535	499	649	752	407	598	559	727	839	457	671	628	814	939	516	754
KDI-0811B-20	440	573	664	355	526	490	638	740	398	588	548	713	826	446	657	614	798	922	503	738	690	894	1033	566	828

Korytko KDI R1, 2016

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	60	65	65	65	65	65	70	70	70	70	70	
Cold Water °F	10	10	10	15	15	62	65	67	62	67	67	70	72	67	72	72	75	77	72	77	77	80	82	77	82	
Range °F	7	10	12	7	12	10	10	10	15	15	10	10	10	15	15	10	10	10	15	10	10	10	10	15	15	
Approach °F	67	70	72	72	77	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	
Inlet Water Temperature °F	57	60	62	57	62	72	75	77	77	82	77	80	82	82	87	82	85	87	87	87	92	87	90	92	92	97
KDI-0812A-7.5	308	408	478	238	372	343	457	535	276	415	387	513	599	310	470	437	577	673	350	527	492	649	755	396	595	
KDI-0812A-10	340	451	527	263	409	380	505	590	304	459	427	566	662	343	518	481	637	742	387	582	543	716	833	438	657	
KDI-0812A-15	389	517	604	302	470	435	578	676	349	526	489	650	758	393	594	552	730	851	444	667	622	821	956	502	753	
KDI-0812A-20	430	570	666	333	518	479	637	745	385	579	539	716	835	433	655	608	805	937	489	735	686	905	1053	552	830	
KDI-0812B-15	412	538	623	333	493	459	598	694	373	551	513	668	774	419	616	576	748	864	471	691	647	839	968	531	776	
KDI-0812B-20	453	591	686	366	543	504	658	762	409	605	564	734	851	460	677	632	822	950	518	760	712	922	1063	583	853	
KDI-0814A-7.5	336	446	522	261	406	375	499	583	302	454	422	561	655	339	512	477	630	734	384	576	537	708	825	433	650	
KDI-0814A-10	371	492	576	288	447	414	551	644	333	500	466	620	722	374	565	526	695	811	422	636	592	782	910	478	717	
KDI-0814A-15	426	565	661	330	514	476	632	740	382	575	535	710	830	430	649	604	799	930	485	729	680	898	1045	549	824	
KDI-0814A-20	470	624	729	365	568	525	697	817	421	635	590	785	915	474	717	667	881	1027	536	806	750	991	1153	605	909	
KDI-0814A-25	507	673	787	393	611	566	753	880	454	684	636	846	986	512	773	719	950	1107	577	868	809	1069	1244	653	979	
KDI-0814B-15	455	594	688	368	545	506	661	766	412	608	566	738	854	463	681	636	826	955	520	763	714	926	1069	586	858	
KDI-0814B-20	502	654	758	405	601	558	728	844	453	669	624	813	942	509	749	700	910	1050	572	840	787	1020	1176	645	944	
KDI-0814B-25	539	704	815	437	647	601	784	907	489	721	673	874	1014	548	806	754	979	1132	616	905	847	1099	1266	695	1016	
KDI-1010A-7.5	320	425	497	249	386	358	476	556	287	432	402	535	623	323	489	454	601	700	365	549	511	675	786	412	620	
KDI-1010A-10	353	468	548	274	426	394	524	612	316	477	444	589	688	356	538	500	662	772	402	605	564	745	866	454	683	
KDI-1010A-15	406	538	630	315	490	453	602	704	363	548	510	677	789	409	618	575	761	886	463	695	648	856	996	523	785	
KDI-1010A-20	447	594	694	347	540	499	664	776	401	604	562	747	871	452	682	634	839	977	510	767	714	943	1097	576	865	
KDI-1010B-15	431	563	651	348	516	480	625	725	389	576	537	699	809	438	644	602	782	904	492	722	676	877	1011	555	812	
KDI-1010B-20	474	618	716	384	568	527	688	798	428	632	590	768	890	481	708	662	860	994	542	794	743	964	1113	610	892	
KDI-1011A-7.5	335	446	520	261	405	375	498	583	301	453	421	559	654	339	512	476	629	733	382	575	536	707	824	432	649	
KDI-1011A-10	371	492	575	288	447	414	550	643	333	500	465	618	721	374	565	525	694	809	422	635	591	781	909	477	716	
KDI-1011A-15	425	564	660	329	512	474	630	738	381	573	533	709	827	428	648	602	797	927	484	728	679	896	1042	546	821	
KDI-1011A-20	468	622	727	363	565	523	695	813	420	632	589	781	912	473	714	664	878	1023	533	802	748	988	1149	603	905	
KDI-1011A-25	506	671	785	393	610	565	750	878	453	683	635	844	984	511	772	716	949	1104	576	866	807	1067	1241	651	978	
KDI-1011B-15	453	591	686	367	543	505	658	762	409	605	565	735	851	460	677	634	822	950	518	760	712	923	1064	584	854	
KDI-1011B-20	499	651	754	404	597	556	725	839	451	667	622	808	937	506	746	696	905	1045	570	837	782	1015	1171	642	939	
KDI-1011B-25	537	700	812	434	643	597	780	903	485	716	668	870	1008	545	802	749	974	1125	612	900	843	1093	1260	691	1011	
KDI-1012A-7.5	343	455	532	267	414	384	510	596	308	464	431	572	668	347	524	486	643	749	391	588	548	723	843	441	663	
KDI-1012A-10	379	503	588	294	457	422	562	657	340	511	476	631	736	382	577	537	709	827	431	649	604	798	929	487	732	
KDI-1012A-15	434	577	674	337	524	485	644	754	389	586	545	725	845	438	662	616	814	949	494	745	694	916	1066	559	839	
KDI-1012A-20	479	636	743	372	578	535	710	831	430	647	602	799	932	483	730	679	898	1045	545	820	765	1009	1175	616	925	
KDI-1012A-25	517	687	802	401	624	577	767	898	464	699	649	863	1007	522	788	733	969	1129	589	886	826	1090	1269	666	999	
KDI-1012B-20	511	667	772	413	611	569	741	859	461	682	636	827	958	518	763	713	926	1070	583	856	801	1038	1198	657	962	
KDI-1012B-25	550	717	831	444	658	611	798	924	497	734	684	891	1031	558	821	767	997	1152	628	922	863	1117	1290	707	1035	
KDI-1112A-10	413	549	641	321	499	461	614	717	371	558	519	689	805	417	630	585	775	903	471	708	660	871	1014	532	799	
KDI-1112A-15	474	629	736	368	572	530	703	822	425	640	596	791	923	478	723	671	889	1036	540	812	758	999	1163	610	917	
KDI-1112A-20	523	694	811	406	630	584	776	907	468	706	656	872	1017	527	798	741	979	1142	596	896	834	1102	1283	673	1010	
KDI-1112A-25	564	748	876	438	681	630	837	979	506	761	708	940	1097	569	860	799	1057	1232	642	966	900	1188	1383	726	1090	
KDI-1112B-20	555	723	838	448	663	617	805	932	502	740	690	898	1041	563	828	774	1005	1161	632	929	870	1127	1300	713	1043	
KDI-1112B-25	596	778	902	483	714	664	866	1003	539	797	742	966	1120	605	891	833	1082	1250	681	999	936	1213	1399	768	1123	

Korytko KDI R1, 2016

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	60	65	65	65	65	65	70	70	70	70	70
Cold Water °F	10	10	10	15	15	62	65	67	62	67	67	70	72	67	72	72	75	77	72	77	77	80	82	77	82
Range °F	7	10	12	7	12	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15
Approach °F	67	70	72	72	77	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12
Inlet Water Temperature °F	57	60	62	57	62	72	75	77	77	82	77	80	82	82	87	82	85	87	87	92	87	90	92	92	97
KDI-1114A-10	450	597	697	349	543	503	668	781	404	608	565	750	876	454	686	637	844	983	512	771	719	948	1103	579	870
KDI-1114A-15	517	686	801	401	623	577	767	897	464	697	649	861	1005	522	787	732	968	1128	589	885	825	1088	1267	664	998
KDI-1114A-20	570	756	884	441	687	636	845	988	511	768	715	950	1108	575	868	807	1068	1244	649	976	909	1200	1397	733	1101
KDI-1114A-25	615	815	953	477	741	686	912	1067	551	830	772	1025	1195	620	937	871	1152	1342	700	1053	981	1296	1507	791	1187
KDI-1114A-30	654	868	1015	507	789	730	971	1135	586	883	821	1092	1273	660	997	927	1226	1429	745	1121	1044	1378	1605	841	1264
KDI-1114B-20	611	797	923	493	732	680	887	1028	552	815	760	990	1147	621	912	853	1108	1280	697	1024	958	1243	1434	786	1151
KDI-1114B-25	657	858	994	532	787	732	955	1107	595	878	819	1066	1234	668	983	918	1193	1378	750	1102	1033	1338	1543	847	1239
KDI-1114B-30	699	911	1056	565	837	778	1015	1175	631	933	870	1133	1312	709	1044	976	1267	1464	798	1171	1096	1422	1639	899	1316
KDI-1116A-15	576	765	893	447	695	643	854	999	517	778	723	961	1121	581	878	817	1080	1258	656	986	919	1214	1412	741	1113
KDI-1116A-20	636	844	986	493	767	710	944	1103	570	858	798	1061	1238	642	969	900	1192	1389	725	1089	1015	1339	1560	818	1228
KDI-1116A-25	687	911	1064	546	827	768	1022	1194	617	929	864	1148	1339	694	1049	975	1290	1503	784	1179	1099	1450	1689	886	1330
KDI-1116A-30	729	969	1132	566	880	814	1083	1266	654	984	916	1217	1420	736	1113	1034	1368	1593	831	1250	1165	1538	1789	939	1410
KDI-1116A-40	805	1068	1248	624	971	898	1194	1396	722	1086	1010	1342	1566	812	1227	1140	1508	1757	917	1378	1285	1696	1974	1036	1555
KDI-1116B-25	730	953	1104	591	874	813	1061	1230	661	976	910	1185	1372	742	1092	1021	1325	1532	834	1225	1147	1487	1715	940	1376
KDI-1116B-30	776	1014	1174	628	930	865	1128	1306	702	1037	968	1259	1458	788	1161	1084	1409	1628	887	1302	1219	1580	1823	999	1463
KDI-1116B-40	854	1114	1291	690	1023	951	1240	1436	772	1140	1063	1384	1604	867	1276	1193	1549	1790	975	1431	1340	1737	2004	1100	1608
KDI-1118A-15	636	845	988	493	768	710	945	1104	571	859	799	1062	1239	642	970	902	1193	1390	725	1090	1016	1342	1561	819	1231
KDI-1118A-20	702	931	1089	544	846	784	1042	1218	629	948	881	1171	1365	708	1070	995	1316	1533	799	1202	1120	1479	1722	903	1356
KDI-1118A-25	758	1005	1175	588	913	846	1123	1315	680	1022	951	1263	1474	763	1154	1073	1420	1653	863	1297	1208	1595	1857	975	1463
KDI-1118A-30	805	1069	1250	624	971	899	1195	1397	722	1087	1011	1343	1567	813	1228	1141	1509	1758	917	1379	1285	1697	1975	1036	1556
KDI-1118A-40	889	1179	1378	689	1071	992	1318	1541	797	1199	1115	1482	1729	896	1355	1259	1665	1940	1011	1521	1418	1871	2178	1143	1717
KDI-1118B-25	805	1050	1217	650	964	896	1168	1353	728	1075	1002	1304	1512	818	1202	1125	1460	1687	919	1349	1263	1638	1889	1036	1515
KDI-1118B-30	856	1116	1293	691	1024	952	1243	1438	773	1142	1066	1387	1606	868	1278	1194	1552	1792	977	1434	1342	1741	2007	1101	1611
KDI-1118B-40	939	1226	1421	760	1126	1045	1364	1581	850	1254	1171	1523	1764	955	1404	1312	1705	1969	1073	1575	1475	1912	2205	1210	1770
KDI-0816A-5-2	426	566	662	330	514	476	632	740	382	576	536	712	830	431	650	604	799	931	485	730	681	898	1045	549	824
KDI-0816A-7.5-2	490	649	759	380	590	546	726	848	439	661	614	817	952	493	746	693	917	1068	557	838	781	1031	1200	630	945
KDI-0816A-10-2	539	716	837	419	650	602	800	936	484	728	677	899	1049	544	822	765	1011	1178	615	924	861	1136	1323	694	1042
KDI-0816A-15-2	618	821	961	480	747	691	918	1074	555	835	776	1033	1205	624	944	877	1160	1351	704	1060	988	1304	1517	797	1197
KDI-0816B-10-2	572	747	865	463	686	637	831	963	518	765	713	927	1074	581	856	799	1038	1199	654	959	898	1165	1343	736	1077
KDI-0816B-15-2	653	852	986	527	782	727	949	1099	590	872	813	1058	1226	663	976	912	1185	1369	746	1095	1024	1329	1533	840	1230
KDI-0820A-7.5-2	571	758	886	443	689	637	847	991	512	771	717	952	1112	576	871	809	1070	1247	650	978	912	1204	1401	735	1103
KDI-0820A-10-2	629	835	976	489	759	702	933	1092	564	850	789	1049	1224	635	959	891	1179	1374	716	1077	1004	1326	1543	809	1215
KDI-0820A-15-2	722	958	1121	561	871	806	1073	1253	648	975	907	1205	1405	729	1101	1023	1353	1578	822	1237	1153	1522	1771	930	1396
KDI-0820A-20-2	795	1056	1234	617	961	889	1181	1381	714	1074	999	1328	1549	804	1213	1128	1492	1738	906	1363	1271	1677	1952	1024	1539
KDI-0820B-15-2	763	996	1153	617	913	850	1108	1284	690	1018	950	1237	1433	775	1140	1066	1384	1599	871	1279	1197	1552	1790	982	1437
KDI-0820B-20-2	839	1094	1267	679	1004	933	1218	1411	759	1120	1044	1359	1575	852	1253	1172	1522	1758	958	1407	1316	1706	1968	1080	1580
KDI-0822A-7.5-2	596	791	924	463	719	666	885	1034	535	805	748	994	1160	601	909	845	1117	1302	679	1021	951	1256	1462	767	1152
KDI-0822A-10-2	657	873	1021	510	793	734	976	1141	590	887	826	1097	1280	663	1003	932	1233	1436	749	1127	1050	1387	1613	846	1271
KDI-0822A-15-2	755	1002	1172	585	911	843	1121	1310	677	1018	948	1259	1469	761	1151	1070	1415	1648	860	1293	1205	1591	1851	971	1458
KDI-0822A-20-2	832	1104	1292	645	1004	930	1235	1444	747	1123	1045	1389	1620	840	1270	1180	1560	1818	949	1425	1329	1755	2041	1071	1608
KDI-0822B-15-2	801	1044	1211	648	959	891	1162	1346	725	1069	997	1298	1503	813	1197	1119	1453	1678	915	1343	1257	1630	1880	1031	1508
KDI-0822B-20-2	879	1147	1330	712	1053	979	1277	1480	795	1174	1095	1425	1651	893	1315	1228	1595	1843	1004	1474	1379	1789	2064	1133	1657

Korytko KDI R1, 2016

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	65	65	65	65	65	70	70	70	70	70	70
Cold Water °F	10	10	10	15	15	62	65	67	62	67	67	70	72	67	72	72	75	77	72	77	77	80	82	77	82
Range °F	7	10	12	7	12	10	10	10	15	15	10	10	10	15	15	10	10	10	15	10	10	10	10	15	15
Approach °F	67	70	72	72	77	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12
Inlet Water Temperature °F	57	60	62	57	62	72	75	77	77	82	77	80	82	82	87	82	85	87	87	92	87	90	92	92	97
KDI-0824A-7.5-2	616	818	956	478	743	688	915	1069	552	831	773	1028	1199	622	939	873	1154	1345	701	1055	983	1298	1510	793	1191
KDI-0824A-10-2	680	903	1055	527	820	759	1009	1180	610	918	853	1134	1323	686	1036	963	1274	1484	774	1165	1086	1433	1667	874	1313
KDI-0824A-15-2	779	1034	1208	604	939	870	1156	1352	699	1051	978	1299	1516	786	1187	1103	1460	1702	887	1335	1244	1641	1910	1003	1506
KDI-0824A-20-2	859	1140	1332	666	1036	958	1274	1490	771	1159	1079	1433	1671	866	1309	1217	1610	1875	978	1470	1370	1809	2106	1104	1659
KDI-0824B-15-2	825	1076	1246	667	988	918	1198	1387	746	1101	1027	1336	1548	837	1232	1152	1496	1728	942	1382	1293	1678	1935	1062	1553
KDI-0824B-20-2	906	1182	1370	733	1086	1009	1316	1525	820	1211	1128	1469	1702	920	1355	1266	1645	1900	1035	1520	1422	1844	2128	1167	1706
KDI-0828A-7.5-2	673	892	1043	522	811	750	998	1167	603	907	844	1122	1309	679	1025	952	1260	1468	766	1152	1074	1417	1650	865	1299
KDI-0828A-10-2	742	985	1152	576	896	828	1101	1287	666	1002	932	1238	1444	749	1132	1051	1391	1620	845	1271	1185	1564	1821	955	1434
KDI-0828A-15-2	852	1130	1322	661	1028	951	1265	1479	765	1151	1070	1422	1658	860	1299	1207	1597	1861	970	1460	1361	1796	2090	1096	1647
KDI-0828A-20-2	940	1248	1458	729	1134	1050	1396	1632	844	1270	1181	1568	1830	949	1434	1332	1763	2053	1071	1611	1501	1982	2307	1211	1817
KDI-0828A-25-2	1014	1346	1573	787	1224	1133	1505	1759	910	1369	1273	1691	1973	1023	1546	1437	1901	2215	1155	1737	1619	2137	2487	1305	1960
KDI-0828B-15-2	911	1188	1376	736	1090	1014	1323	1532	824	1215	1134	1476	1710	925	1361	1272	1652	1908	1040	1527	1429	1853	2137	1172	1715
KDI-0828B-20-2	1003	1307	1515	811	1200	1116	1456	1686	906	1339	1248	1625	1882	1018	1499	1401	1818	2102	1145	1680	1573	2040	2353	1291	1888
KDI-0828B-25-2	1080	1408	1632	873	1292	1201	1567	1816	976	1441	1344	1750	2026	1096	1613	1508	1959	2262	1232	1809	1693	2196	2533	1390	2033
KDI-1020A-7.5-2	641	851	994	497	773	715	951	1112	575	865	805	1069	1247	647	977	907	1201	1399	729	1097	1023	1350	1572	825	1238
KDI-1020A-10-2	707	938	1096	548	852	788	1049	1226	634	953	887	1179	1375	713	1077	1001	1324	1542	805	1211	1128	1489	1733	909	1365
KDI-1020A-15-2	812	1077	1259	630	979	906	1205	1409	728	1095	1020	1353	1580	819	1238	1151	1521	1772	924	1390	1296	1711	1991	1044	1568
KDI-1020A-20-2	896	1188	1389	694	1080	999	1329	1553	802	1208	1123	1493	1742	903	1365	1269	1678	1955	1020	1533	1429	1887	2196	1152	1730
KDI-1020B-15-2	863	1125	1303	697	1033	959	1252	1450	780	1152	1074	1397	1619	876	1289	1204	1564	1807	984	1446	1352	1753	2024	1110	1624
KDI-1020B-20-2	948	1237	1433	767	1135	1055	1377	1594	857	1266	1180	1536	1779	963	1417	1324	1720	1987	1082	1589	1488	1929	2224	1220	1785
KDI-1022A-7.5-2	671	891	1042	520	809	749	996	1165	602	906	843	1120	1306	677	1023	951	1258	1466	765	1149	1071	1415	1646	864	1297
KDI-1022A-10-2	741	983	1149	575	893	827	1100	1286	664	999	930	1235	1442	748	1129	1050	1389	1618	844	1270	1182	1561	1817	953	1433
KDI-1022A-15-2	850	1128	1318	660	1025	949	1261	1475	762	1147	1067	1417	1654	858	1296	1205	1593	1856	968	1456	1357	1791	2085	1094	1643
KDI-1022A-20-2	937	1244	1454	727	1130	1047	1391	1626	840	1265	1176	1564	1824	945	1429	1328	1757	2046	1068	1605	1496	1975	2299	1206	1811
KDI-1022A-25-2	1011	1343	1569	785	1220	1129	1502	1756	907	1365	1271	1687	1969	1021	1542	1434	1896	2209	1153	1733	1615	2132	2482	1302	1955
KDI-1022B-15-2	907	1184	1371	733	1086	1009	1317	1526	820	1211	1129	1470	1703	920	1355	1266	1645	1901	1036	1520	1423	1846	2129	1167	1707
KDI-1022B-20-2	998	1302	1508	807	1195	1110	1449	1678	903	1332	1243	1618	1874	1014	1492	1394	1810	2091	1140	1673	1566	2030	2342	1285	1879
KDI-1022B-25-2	1074	1401	1623	868	1285	1195	1559	1805	971	1434	1337	1741	2015	1090	1605	1500	1948	2250	1226	1800	1684	2184	2519	1382	2021
KDI-1024A-7.5-2	687	911	1066	532	828	767	1020	1192	616	926	863	1146	1336	693	1047	972	1287	1500	782	1176	1096	1447	1684	884	1326
KDI-1024A-10-2	758	1005	1174	588	913	845	1123	1313	679	1022	951	1263	1474	763	1154	1073	1420	1653	863	1297	1208	1595	1857	975	1463
KDI-1024A-15-2	868	1153	1348	674	1048	970	1290	1508	779	1173	1090	1449	1691	877	1324	1231	1628	1897	990	1488	1387	1831	2131	1117	1679
KDI-1024A-20-2	958	1271	1486	743	1155	1069	1422	1663	859	1293	1202	1598	1864	966	1461	1357	1796	2092	1092	1640	1529	2019	2349	1233	1851
KDI-1024A-25-2	1034	1372	1605	802	1247	1155	1535	1795	927	1396	1298	1725	2013	1043	1576	1466	1939	2259	1178	1771	1651	2179	2537	1331	1999
KDI-1024B-20-2	1021	1332	1543	826	1222	1136	1483	1718	924	1364	1272	1656	1918	1037	1526	1427	1853	2141	1166	1712	1602	2078	2397	1315	1923
KDI-1024B-25-2	1099	1434	1661	889	1316	1224	1595	1848	994	1468	1369	1781	2063	1116	1643	1535	1994	2303	1254	1842	1724	2236	2579	1415	2070
KDI-1124A-10-2	827	1097	1283	641	997	923	1227	1435	741	1116	1038	1379	1608	834	1260	1172	1549	1805	942	1416	1319	1743	2027	1064	1598
KDI-1124A-15-2	949	1259	1471	736	1145	1058	1408	1646	851	1280	1191	1582	1846	957	1446	1344	1778	2071	1080	1625	1514	1999	2326	1220	1833
KDI-1124A-20-2	1045	1388	1623	811	1261	1167	1552	1815	938	1411	1313	1744	2036	1055	1594	1482	1960	2283	1191	1791	1670	2204	2565	1345	2021
KDI-1124A-25-2	1128	1497	1750	876	1361	1259	1674	1958	1011	1522	1416	1882	2196	1139	1720	1599	2115	2464	1285	1933	1801	2378	2767	1451	2181
KDI-1124B-20-2	1108	1446	1674	896	1326	1233	1610	1864	1002	1480	1379	1796	2080	1125	1656	1547	2011	2322	1265	1857	1738	2255	2601	1427	2086
KDI-1124B-25-2	1193	1556	1803	964	1428	1328	1732	2006	1079	1593	1486	1933	2240	1211	1783	1666	2164	2500	1362	2000	1871	2427	2800	1535	2247

Korytko KDI R1, 2016

Condition Reference #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Wet Bulb °F	50	50	50	50	50	55	55	55	55	55	60	60	60	60	60	65	65	65	65	65	70	70	70	70	70
Cold Water °F	10	10	10	15	15	62	65	67	62	67	67	70	72	67	72	72	75	77	72	77	77	80	82	77	82
Range °F	7	10	12	7	12	10	10	10	15	10	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15
Approach °F	67	70	72	72	77	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12
Inlet Water Temperature °F	57	60	62	57	62	72	75	77	77	82	77	80	82	82	87	82	85	87	87	92	87	90	92	92	97
KDI-1128A-10-2	899	1194	1396	697	1086	1004	1336	1561	807	1214	1129	1501	1751	907	1371	1274	1686	1965	1024	1541	1436	1896	2207	1158	1739
KDI-1128A-15-2	1033	1371	1602	801	1246	1153	1533	1792	926	1395	1297	1723	2011	1042	1575	1463	1936	2256	1176	1770	1648	2177	2533	1330	1997
KDI-1128A-20-2	1139	1512	1766	884	1374	1272	1690	1977	1022	1538	1430	1900	2216	1149	1736	1614	2135	2487	1297	1951	1818	2400	2793	1466	2201
KDI-1128A-25-2	1230	1631	1907	953	1482	1372	1824	2132	1102	1659	1543	2050	2392	1240	1874	1742	2303	2683	1399	2105	1962	2590	3015	1581	2375
KDI-1128A-30-2	1309	1737	2030	1015	1578	1461	1942	2270	1173	1766	1643	2183	2546	1320	1995	1854	2452	2857	1490	2241	2089	2758	3210	1684	2529
KDI-1128B-20-2	1221	1593	1847	988	1462	1359	1774	2054	1104	1631	1521	1980	2293	1240	1825	1706	2216	2559	1395	2047	1916	2485	2866	1573	2300
KDI-1128B-25-2	1316	1716	1988	1063	1575	1464	1910	2213	1189	1757	1638	2132	2470	1336	1966	1837	2386	2756	1502	2205	2064	2676	3087	1693	2477
KDI-1128B-30-2	1397	1823	2112	1129	1673	1555	2030	2351	1264	1866	1741	2264	2623	1418	2087	1952	2535	2929	1595	2342	2192	2843	3279	1798	2631
KDI-1132A-15-2	1152	1528	1787	893	1389	1286	1710	1999	1033	1554	1446	1921	2241	1162	1756	1632	2158	2515	1312	1973	1838	2427	2825	1482	2225
KDI-1132A-20-2	1272	1687	1973	986	1534	1420	1887	2207	1140	1716	1597	2120	2474	1283	1939	1802	2384	2777	1448	2178	2030	2680	3119	1637	2458
KDI-1132A-25-2	1372	1822	2128	1094	1656	1536	2043	2388	1234	1857	1729	2296	2679	1389	2098	1951	2579	3005	1568	2358	2197	2900	3376	1771	2660
KDI-1132A-30-2	1458	1936	2263	1132	1759	1630	2165	2532	1309	1969	1831	2434	2839	1473	2224	2067	2735	3186	1661	2499	2329	3075	3579	1877	2820
KDI-1132A-40-2	1610	2136	2497	1248	1941	1797	2388	2793	1443	2172	2020	2685	3132	1624	2453	2280	3016	3514	1833	2756	2569	3391	3947	2071	3110
KDI-1132B-25-2	1462	1907	2209	1181	1750	1627	2122	2458	1322	1952	1820	2368	2744	1484	2184	2041	2651	3063	1669	2450	2293	2974	3430	1881	2752
KDI-1132B-30-2	1553	2026	2348	1256	1860	1729	2256	2613	1404	2074	1934	2518	2917	1578	2321	2170	2818	3256	1774	2604	2438	3160	3645	2000	2925
KDI-1132B-40-2	1709	2228	2582	1381	2045	1901	2480	2873	1545	2281	2126	2768	3207	1735	2552	2386	3099	3580	1951	2863	2680	3475	4008	2198	3217
KDI-1136A-15-2	1273	1690	1975	988	1535	1422	1889	2209	1142	1718	1599	2124	2478	1284	1941	1804	2386	2780	1450	2181	2032	2683	3122	1638	2460
KDI-1136A-20-2	1403	1863	2177	1089	1693	1567	2083	2436	1259	1894	1762	2341	2732	1416	2139	1988	2630	3066	1599	2404	2241	2958	3443	1807	2713
KDI-1136A-25-2	1514	2011	2349	1175	1827	1691	2248	2628	1358	2044	1901	2526	2948	1528	2309	2146	2839	3308	1725	2594	2418	3192	3715	1949	2926
KDI-1136A-30-2	1611	2138	2499	1250	1942	1798	2391	2795	1444	2174	2023	2687	3134	1625	2456	2282	3018	3518	1835	2759	2571	3395	3951	2073	3113
KDI-1136A-40-2	1776	2358	2756	1378	2143	1984	2637	3083	1593	2398	2230	2963	3457	1792	2708	2517	3330	3880	2024	3043	2836	3744	4358	2287	3434
KDI-1136B-25-2	1610	2100	2433	1302	1927	1791	2338	2708	1456	2150	2005	2609	3022	1634	2405	2248	2921	3374	1838	2699	2525	3275	3777	2072	3031
KDI-1136B-30-2	1711	2231	2585	1383	2048	1905	2484	2878	1547	2284	2130	2773	3212	1737	2556	2390	3103	3586	1953	2867	2685	3481	4014	2202	3221
KDI-1136B-40-2	1880	2452	2841	1520	2250	2092	2729	3161	1699	2510	2340	3047	3528	1908	2808	2624	3410	3939	2146	3151	2949	3824	4411	2420	3540

Korytko KDI R1, 2016

Condition Reference #	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °F	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	69.8	78	80.6	82.4
Cold Water °F	82	85	87	82	87	87	90	92	87	92	92	95	97	92	97	97	100	102	97	102	80.6	85	89.6	89.6
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	9	10	9	9
Approach °F	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	10.8	7	9	7.2
Inlet Water Temperature °F	92	95	97	97	102	97	100	102	102	107	102	105	107	107	112	107	110	112	112	117	89.6	95	98.6	98.6
KDI-0404A-2	114	151	175	92	138	130	170	197	105	156	146	191	222	118	176	165	215	250	135	198	151	123	169	149
KDI-0404A-3	131	172	201	106	158	149	195	225	120	179	168	219	254	136	202	190	247	287	155	228	173	142	194	170
KDI-0404A-5	156	205	238	126	189	176	231	269	143	212	199	261	302	162	241	225	294	341	183	271	207	169	230	203
KDI-0406A-2	131	172	199	105	158	148	194	225	119	178	168	218	253	136	201	189	245	286	153	227	172	142	192	170
KDI-0406A-3	150	197	230	122	181	170	223	258	137	204	192	251	290	156	231	217	282	328	176	261	198	163	221	195
KDI-0406A-5	178	235	273	144	215	202	264	307	163	243	228	299	346	184	275	257	335	389	210	310	236	194	263	231
KDI-0505A-2	149	196	228	120	179	169	221	256	136	203	191	249	289	155	229	216	281	326	175	260	197	160	219	194
KDI-0505A-3	171	225	262	138	207	194	254	295	157	234	219	286	332	177	263	248	322	374	201	297	227	184	253	222
KDI-0505A-5	204	269	313	165	247	230	302	352	186	278	261	341	395	211	314	295	384	445	240	355	269	219	301	266
KDI-0505A-7.5	235	308	359	189	283	264	347	404	214	320	300	392	453	243	361	339	441	511	275	407	309	253	345	304
KDI-0606A-3	224	295	343	182	271	254	333	386	205	306	287	375	434	232	346	325	422	490	263	391	296	242	330	291
KDI-0606A-5	267	352	408	216	322	302	396	459	244	365	341	446	517	276	411	386	503	583	314	464	353	288	393	347
KDI-0606A-7.5	307	402	468	247	369	346	454	526	280	418	392	512	592	317	471	443	576	668	360	532	405	329	451	398
KDI-0707A-5	321	422	491	260	388	363	477	552	294	438	411	537	622	333	494	464	604	701	378	558	425	346	473	418
KDI-0707A-7.5	369	486	565	297	446	417	548	635	337	503	472	617	715	382	569	533	695	806	433	642	487	398	544	479
KDI-0707A-10	407	536	623	329	492	460	604	701	372	556	520	681	789	421	627	589	767	889	478	708	538	439	599	529
KDI-0806A-3	255	335	389	205	308	288	378	438	232	347	326	426	493	264	392	368	479	556	300	443	336	274	375	330
KDI-0806A-5	303	400	464	245	366	343	450	523	277	414	388	507	588	314	467	439	571	662	356	527	401	327	447	394
KDI-0806A-7.5	349	459	533	282	421	394	517	601	319	476	446	583	676	361	537	504	656	761	409	607	461	375	513	453
KDI-0806A-10	386	507	589	310	465	435	571	663	352	525	492	644	746	399	594	557	725	841	452	669	509	415	568	500
KDI-0808A-5	385	506	589	310	465	435	571	662	352	525	492	643	746	399	592	556	725	840	452	669	509	415	566	500
KDI-0808A-7.5	443	582	676	356	533	499	655	760	404	602	565	739	856	458	680	638	832	964	519	768	583	476	650	573
KDI-0808A-10	487	641	745	393	588	550	722	838	445	664	623	814	943	504	749	703	917	1063	572	846	643	525	717	632
KDI-0808A-15	559	735	854	451	674	631	828	962	511	762	715	933	1082	578	860	807	1051	1220	656	971	739	602	822	726
KDI-0808B-10	505	653	752	415	604	569	732	841	470	680	640	820	943	529	763	720	920	1055	597	858	654	542	858	654
KDI-0808B-15	577	745	858	474	690	649	834	959	536	775	730	937	1076	604	871	822	1051	1204	682	979	746	618	979	746
KDI-0810A-7.5	516	679	788	417	622	583	765	887	471	703	660	861	998	535	794	746	971	1126	605	897	681	556	760	670
KDI-0810A-10	569	747	868	458	686	642	843	977	519	774	727	949	1100	588	874	821	1069	1240	667	988	750	612	837	738
KDI-0810A-15	653	858	997	526	787	736	966	1122	596	889	834	1090	1263	675	1004	943	1227	1423	766	1134	861	703	961	847
KDI-0810A-20	719	945	1100	579	867	812	1066	1237	656	979	919	1201	1392	745	1107	1038	1352	1568	844	1250	950	775	1058	933
KDI-0810B-15	674	870	1002	553	806	759	975	1121	625	906	853	1094	1257	706	1018	961	1228	1407	797	1145	871	722	1145	871
KDI-0810B-20	741	956	1101	609	886	834	1071	1232	688	996	938	1202	1382	775	1119	1056	1350	1547	876	1258	958	793	1258	958
KDI-0811A-7.5	538	708	822	434	649	608	798	926	492	734	688	899	1042	557	828	778	1012	1174	632	936	710	581	792	699
KDI-0811A-10	595	781	909	479	716	671	880	1022	543	809	760	992	1151	615	915	858	1117	1297	697	1033	785	641	874	772
KDI-0811A-15	682	897	1043	550	822	771	1010	1173	623	929	872	1139	1320	706	1049	985	1283	1488	800	1185	900	735	1004	885
KDI-0811A-20	752	989	1149	607	907	850	1114	1293	687	1024	962	1257	1456	779	1158	1087	1415	1640	883	1306	992	811	1107	976
KDI-0811B-15	707	913	1051	582	846	797	1023	1176	656	951	896	1148	1319	740	1068	1008	1289	1476	837	1201	915	758	1201	915
KDI-0811B-20	776	1003	1155	638	929	874	1123	1292	721	1044	983	1261	1449	813	1174	1107	1415	1621	918	1319	1004	833	1319	1004

Korytko KDI R1, 2016

Condition Reference #	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °F	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	69.8	78	80.6	82.4
Cold Water °F	82	85	87	82	87	87	90	92	87	92	92	95	97	92	97	97	100	102	97	102	80.6	85	89.6	89.6
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	9	10	9	9
Approach °F	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	10.8	7	9	7.2
Inlet Water Temperature °F	92	95	97	97	102	97	100	102	102	107	102	105	107	107	112	107	110	112	112	117	89.6	95	98.6	98.6
KDI-0812A-7.5	557	732	851	448	671	628	825	957	509	758	712	930	1077	576	857	804	1047	1214	654	966	735	599	819	722
KDI-0812A-10	615	808	939	496	741	694	910	1056	561	837	785	1025	1188	636	945	887	1155	1339	721	1067	811	662	904	797
KDI-0812A-15	703	925	1076	568	848	794	1043	1211	643	959	899	1175	1362	728	1083	1016	1324	1535	826	1222	929	758	1036	913
KDI-0812A-20	775	1021	1186	625	936	876	1149	1333	708	1057	991	1296	1501	802	1193	1120	1458	1692	911	1348	1024	835	1141	1007
KDI-0812B-15	728	939	1083	598	871	820	1054	1212	676	979	922	1182	1358	762	1100	1037	1326	1520	861	1237	942	780	1237	942
KDI-0812B-20	800	1034	1191	658	958	902	1158	1332	743	1076	1014	1299	1493	838	1210	1141	1458	1671	946	1359	1035	858	1359	1035
KDI-0814A-7.5	608	799	929	490	733	686	900	1044	555	827	776	1015	1176	629	935	878	1142	1325	713	1055	802	655	894	788
KDI-0814A-10	670	881	1025	540	808	758	994	1153	612	913	857	1120	1298	694	1031	969	1261	1462	787	1165	885	722	986	870
KDI-0814A-15	769	1012	1176	621	929	870	1141	1324	703	1049	984	1286	1490	797	1185	1112	1448	1679	904	1337	1016	830	1133	999
KDI-0814A-20	850	1117	1299	686	1024	959	1259	1461	776	1158	1086	1420	1645	879	1307	1227	1598	1854	997	1476	1122	916	1251	1103
KDI-0814A-25	916	1205	1401	739	1104	1035	1357	1575	837	1248	1171	1530	1774	948	1410	1323	1723	1999	1075	1592	1210	988	1349	1189
KDI-0814B-15	805	1038	1195	661	962	905	1163	1338	747	1082	1018	1306	1500	841	1215	1146	1466	1679	951	1366	1040	861	1366	1040
KDI-0814B-20	885	1143	1317	728	1060	997	1281	1473	822	1191	1121	1437	1652	926	1338	1261	1613	1849	1047	1505	1145	949	1505	1145
KDI-0814B-25	953	1231	1417	784	1140	1074	1379	1586	885	1283	1207	1548	1778	998	1441	1358	1737	1991	1127	1619	1232	1021	1619	1232
KDI-1010A-7.5	579	761	885	467	699	654	858	996	529	788	740	966	1120	599	891	835	1089	1263	680	1005	765	623	852	752
KDI-1010A-10	638	839	976	514	769	721	945	1097	583	870	815	1066	1235	661	982	922	1200	1392	749	1109	843	687	939	828
KDI-1010A-15	733	964	1121	591	884	828	1087	1261	669	999	937	1225	1420	759	1128	1058	1379	1599	860	1273	968	789	1079	952
KDI-1010A-20	808	1063	1237	653	976	913	1198	1391	739	1102	1034	1351	1566	837	1244	1168	1521	1764	949	1405	1068	871	1191	1050
KDI-1010B-15	761	983	1132	625	911	857	1102	1267	707	1024	964	1237	1421	797	1151	1086	1388	1589	900	1293	984	815	1293	984
KDI-1010B-20	838	1081	1245	688	1002	943	1212	1394	778	1126	1060	1359	1562	877	1265	1193	1526	1748	990	1422	1082	897	1422	1082
KDI-1011A-7.5	607	798	927	490	732	684	898	1043	553	826	775	1012	1174	628	933	876	1141	1323	712	1054	801	654	892	787
KDI-1011A-10	669	880	1023	540	807	756	991	1152	611	912	856	1117	1296	693	1030	966	1259	1460	786	1162	884	722	985	868
KDI-1011A-15	768	1010	1174	620	926	867	1138	1320	701	1047	982	1283	1487	794	1181	1109	1444	1674	902	1333	1014	827	1130	997
KDI-1011A-20	847	1114	1294	683	1021	956	1254	1456	773	1154	1082	1414	1639	877	1303	1222	1593	1847	994	1471	1117	913	1246	1099
KDI-1011A-25	915	1202	1397	738	1102	1033	1355	1572	834	1245	1168	1527	1770	946	1407	1320	1719	1994	1073	1588	1207	985	1345	1186
KDI-1011B-15	801	1034	1191	658	958	902	1159	1332	743	1077	1014	1300	1494	838	1211	1141	1460	1672	946	1361	1036	858	1361	1036
KDI-1011B-20	881	1138	1311	725	1054	992	1276	1467	818	1185	1115	1431	1644	923	1331	1256	1606	1840	1042	1496	1140	944	1496	1140
KDI-1011B-25	949	1224	1410	780	1134	1068	1372	1578	880	1276	1200	1540	1769	992	1433	1351	1728	1980	1121	1611	1226	1016	1611	1226
KDI-1012A-7.5	621	815	949	500	748	701	919	1067	566	845	793	1036	1201	642	955	896	1167	1353	728	1077	819	670	913	805
KDI-1012A-10	684	899	1045	552	825	773	1014	1176	624	932	874	1142	1324	708	1053	988	1286	1492	802	1188	903	739	1007	887
KDI-1012A-15	785	1033	1200	632	946	886	1162	1350	716	1069	1003	1311	1519	812	1207	1134	1476	1712	922	1363	1036	847	1155	1018
KDI-1012A-20	865	1139	1323	697	1044	977	1283	1488	791	1179	1106	1446	1676	896	1331	1250	1628	1888	1016	1503	1142	935	1273	1123
KDI-1012A-25	935	1230	1429	754	1127	1055	1384	1607	853	1273	1194	1561	1809	966	1437	1350	1758	2038	1097	1624	1233	1009	1375	1213
KDI-1012B-20	902	1163	1340	741	1079	1015	1305	1501	838	1213	1141	1464	1683	944	1363	1285	1644	1883	1067	1532	1166	966	1532	1166
KDI-1012B-25	970	1253	1443	798	1161	1093	1404	1614	902	1305	1228	1575	1810	1016	1467	1383	1769	2026	1147	1648	1254	1040	1648	1254
KDI-1112A-10	747	983	1142	603	900	844	1107	1285	682	1017	955	1247	1446	773	1149	1079	1405	1630	877	1298	986	805	1099	970
KDI-1112A-15	857	1127	1310	691	1034	968	1270	1474	782	1167	1095	1431	1659	886	1318	1238	1612	1869	1005	1488	1132	923	1261	1112
KDI-1112A-20	945	1243	1444	762	1140	1067	1399	1625	863	1287	1207	1578	1829	977	1454	1364	1777	2060	1109	1641	1247	1018	1390	1226
KDI-1112A-25	1020	1340	1558	822	1230	1151	1510	1752	931	1389	1303	1703	1973	1055	1568	1473	1918	2223	1197	1770	1345	1099	1500	1323
KDI-1112B-20	978	1263	1455	805	1171	1102	1416	1628	909	1316	1239	1589	1825	1024	1479	1395	1783	2044	1156	1663	1265	1049	1663	1265
KDI-1112B-25	1054	1359	1567	866	1260	1186	1525	1752	978	1417	1333	1711	1966	1102	1592	1501	1920	2200	1246	1789	1362	1129	1789	1362

Korytko KDI R1, 2016

Condition Reference #	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °F	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	69.8	78	80.6	82.4
Cold Water °F	82	85	87	82	87	87	90	92	87	92	92	95	97	92	97	97	100	102	97	102	80.6	85	89.6	89.6
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	9	10	9	9
Approach °F	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	10.8	7	9	7.2
Inlet Water Temperature °F	92	95	97	97	102	97	100	102	102	107	102	105	107	107	112	107	110	112	112	117	89.6	95	98.6	98.6
KDI-1114A-10	813	1069	1243	656	981	918	1205	1398	742	1108	1038	1357	1573	841	1251	1174	1529	1774	955	1412	1073	878	1197	1055
KDI-1114A-15	933	1227	1427	753	1126	1054	1383	1605	852	1272	1193	1559	1807	965	1436	1348	1756	2036	1095	1621	1232	1008	1374	1212
KDI-1114A-20	1029	1353	1573	830	1241	1162	1525	1770	939	1402	1315	1718	1992	1064	1584	1486	1935	2244	1208	1788	1358	1110	1514	1336
KDI-1114A-25	1110	1461	1697	896	1339	1254	1645	1909	1014	1513	1420	1855	2149	1149	1709	1604	2089	2423	1304	1929	1466	1199	1634	1441
KDI-1114A-30	1182	1555	1807	953	1425	1335	1751	2033	1080	1611	1510	1974	2288	1224	1818	1707	2223	2578	1388	2053	1561	1276	1739	1534
KDI-1114B-20	1079	1392	1604	887	1291	1214	1561	1795	1002	1451	1365	1751	2012	1129	1630	1538	1966	2253	1276	1833	1395	1155	1833	1395
KDI-1114B-25	1162	1500	1728	955	1390	1307	1680	1933	1079	1562	1470	1887	2168	1215	1755	1656	2117	2426	1374	1973	1502	1245	1973	1502
KDI-1114B-30	1234	1593	1835	1015	1476	1389	1785	2053	1146	1659	1562	2004	2302	1292	1864	1758	2249	2576	1458	2096	1595	1322	2096	1595
KDI-1116A-15	1041	1369	1591	839	1256	1175	1541	1790	950	1417	1330	1738	2014	1077	1601	1503	1958	2270	1221	1808	1374	1121	1532	1351
KDI-1116A-20	1149	1510	1756	926	1385	1297	1702	1975	1049	1565	1468	1919	2223	1188	1768	1659	2161	2506	1349	1995	1516	1238	1691	1492
KDI-1116A-25	1244	1635	1901	1003	1500	1404	1842	2138	1135	1694	1589	2077	2407	1287	1914	1796	2339	2713	1460	2161	1641	1340	1830	1614
KDI-1116A-30	1318	1733	2015	1063	1589	1488	1953	2267	1204	1796	1685	2202	2551	1364	2028	1903	2479	2876	1547	2290	1741	1421	1940	1711
KDI-1116A-40	1454	1913	2223	1173	1753	1641	2154	2500	1328	1981	1859	2428	2814	1505	2237	2100	2735	3172	1706	2525	1920	1567	2139	1887
KDI-1116B-25	1291	1666	1919	1061	1545	1453	1868	2148	1199	1736	1633	2096	2407	1351	1951	1840	2352	2695	1526	2192	1669	1382	2192	1669
KDI-1116B-30	1372	1771	2040	1128	1641	1545	1985	2282	1273	1846	1737	2228	2559	1436	2073	1955	2499	2864	1621	2331	1774	1469	2331	1774
KDI-1116B-40	1508	1947	2243	1240	1804	1698	2183	2510	1401	2028	1909	2450	2814	1579	2279	2150	2748	3149	1783	2562	1951	1615	2562	1951
KDI-1118A-15	1151	1513	1758	927	1388	1299	1704	1978	1050	1567	1470	1921	2227	1191	1770	1661	2163	2509	1350	1998	1519	1240	1692	1493
KDI-1118A-20	1269	1667	1939	1023	1529	1431	1879	2181	1158	1728	1620	2118	2454	1312	1951	1831	2385	2766	1488	2203	1674	1366	1866	1646
KDI-1118A-25	1369	1800	2092	1103	1651	1545	2027	2353	1250	1864	1749	2286	2649	1416	2105	1977	2574	2984	1606	2377	1807	1475	2013	1776
KDI-1118A-30	1455	1914	2224	1174	1755	1643	2156	2503	1329	1982	1860	2431	2817	1506	2238	2102	2738	3174	1709	2528	1921	1568	2142	1889
KDI-1118A-40	1605	2111	2453	1294	1936	1812	2378	2760	1466	2187	2051	2681	3107	1661	2470	2319	3020	3501	1884	2788	2119	1730	2362	2083
KDI-1118B-25	1422	1835	2113	1168	1700	1600	2057	2365	1320	1912	1800	2308	2653	1488	2148	2026	2590	2968	1680	2414	1838	1522	2414	1838
KDI-1118B-30	1510	1951	2247	1243	1808	1700	2187	2513	1403	2032	1913	2453	2819	1581	2282	2154	2753	3154	1787	2567	1953	1618	2567	1953
KDI-1118B-40	1660	2143	2469	1364	1986	1869	2401	2761	1541	2233	2102	2695	3096	1737	2508	2366	3024	3466	1962	2819	2146	1778	2819	2146
KDI-0816A-5-2	771	1014	1178	622	929	870	1141	1325	703	1049	984	1286	1492	798	1185	1113	1449	1680	904	1338	1017	830	1134	999
KDI-0816A-7.5-2	884	1162	1351	713	1066	998	1310	1520	807	1205	1129	1476	1711	915	1361	1277	1663	1928	1037	1535	1167	952	1300	1147
KDI-0816A-10-2	975	1281	1489	786	1175	1100	1443	1676	890	1328	1245	1627	1886	1009	1500	1408	1833	2125	1143	1692	1286	1049	1434	1265
KDI-0816A-15-2	1119	1470	1710	902	1349	1263	1657	1923	1021	1523	1429	1868	2164	1158	1720	1615	2104	2439	1312	1942	1476	1205	1646	1451
KDI-0816B-10-2	1011	1305	1503	831	1210	1138	1462	1682	938	1359	1279	1641	1886	1058	1527	1441	1842	2110	1195	1717	1306	1084	1717	1306
KDI-0816B-15-2	1153	1489	1715	949	1379	1298	1669	1919	1070	1552	1460	1873	2151	1207	1743	1644	2102	2408	1364	1959	1492	1237	1959	1492
KDI-0820A-7.5-2	1033	1357	1578	832	1245	1166	1529	1775	943	1407	1319	1724	1998	1068	1588	1490	1941	2251	1212	1792	1363	1113	1519	1339
KDI-0820A-10-2	1136	1495	1738	917	1371	1284	1684	1955	1038	1548	1453	1899	2201	1176	1749	1641	2138	2479	1335	1974	1501	1225	1673	1475
KDI-0820A-15-2	1305	1717	1995	1053	1574	1474	1934	2244	1192	1778	1669	2179	2526	1351	2008	1884	2456	2847	1532	2267	1723	1407	1921	1694
KDI-0820A-20-2	1438	1892	2198	1160	1735	1624	2131	2473	1313	1959	1838	2401	2784	1488	2213	2077	2706	3136	1689	2498	1899	1551	2116	1867
KDI-0820B-15-2	1348	1739	2004	1108	1612	1517	1949	2242	1251	1812	1706	2188	2515	1410	2037	1921	2456	2813	1593	2289	1743	1443	2289	1743
KDI-0820B-20-2	1482	1912	2203	1218	1772	1667	2144	2465	1376	1993	1875	2406	2764	1551	2238	2111	2700	3093	1751	2516	1915	1587	2516	1915
KDI-0822A-7.5-2	1077	1416	1646	868	1299	1215	1595	1851	983	1467	1376	1798	2084	1114	1657	1555	2025	2348	1264	1870	1422	1160	1585	1397
KDI-0822A-10-2	1188	1564	1817	958	1434	1342	1761	2044	1086	1619	1519	1985	2301	1230	1829	1717	2236	2592	1395	2065	1569	1280	1749	1542
KDI-0822A-15-2	1364	1794	2085	1100	1645	1540	2021	2346	1246	1859	1743	2279	2641	1411	2099	1971	2567	2976	1601	2369	1801	1470	2007	1770
KDI-0822A-20-2	1505	1979	2300	1213	1814	1698	2229	2587	1374	2050	1922	2512	2912	1556	2314	2172	2830	3282	1765	2613	1986	1621	2214	1952
KDI-0822B-15-2	1415	1825	2103	1162	1692	1592	2046	2353	1313	1902	1790	2296	2638	1481	2137	2015	2577	2954	1672	2402	1829	1516	2402	1829
KDI-0822B-20-2	1554	2005	2310	1277	1859	1749	2248	2584	1442	2090	1966	2523	2898	1626	2347	2214	2831	3244	1836	2638	2008	16		

Korytko KDI R1, 2016

Condition Reference #	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49
Wet Bulb °F	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	69.8	78	80.6	82.4
Cold Water °F	82	85	87	82	87	87	90	92	87	92	92	95	97	92	97	97	100	102	97	102	80.6	85	89.6	89.6
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	9	10	9	9
Approach °F	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	10.8	7	9	7.2
Inlet Water Temperature °F	92	95	97	97	102	97	100	102	102	107	102	105	107	107	112	107	110	112	112	117	89.6	95	98.6	98.6
KDI-0824A-7.5-2	1113	1463	1702	898	1342	1257	1648	1914	1016	1516	1422	1859	2155	1152	1712	1607	2093	2427	1306	1933	1469	1199	1638	1444
KDI-0824A-10-2	1228	1615	1877	991	1481	1387	1820	2112	1122	1673	1569	2051	2378	1271	1890	1774	2310	2680	1442	2133	1621	1323	1808	1594
KDI-0824A-15-2	1408	1851	2151	1135	1698	1589	2085	2420	1285	1918	1798	2351	2725	1456	2165	2033	2648	3070	1652	2445	1859	1516	2071	1827
KDI-0824A-20-2	1552	2040	2372	1251	1871	1751	2299	2668	1417	2113	1982	2591	3003	1605	2387	2241	2918	3384	1821	2695	2048	1671	2283	2013
KDI-0824B-15-2	1456	1880	2165	1198	1743	1639	2107	2423	1352	1959	1843	2365	2716	1525	2201	2076	2654	3041	1722	2473	1883	1560	2473	1883
KDI-0824B-20-2	1601	2066	2380	1316	1915	1802	2316	2663	1487	2154	2026	2600	2987	1676	2419	2282	2917	3343	1893	2719	2070	1715	2719	2070
KDI-0828A-7.5-2	1215	1598	1857	979	1466	1372	1801	2090	1109	1656	1553	2030	2352	1258	1869	1755	2286	2650	1427	2111	1604	1310	1788	1576
KDI-0828A-10-2	1342	1764	2050	1082	1618	1514	1987	2306	1225	1827	1713	2240	2596	1388	2063	1936	2523	2925	1574	2329	1770	1446	1973	1741
KDI-0828A-15-2	1540	2025	2354	1241	1857	1738	2281	2648	1407	2098	1968	2571	2981	1593	2369	2223	2896	3358	1808	2675	2033	1659	2266	1998
KDI-0828A-20-2	1699	2235	2597	1370	2050	1919	2517	2923	1552	2315	2171	2838	3289	1758	2615	2454	3197	3706	1994	2952	2243	1831	2500	2205
KDI-0828A-25-2	1833	2410	2801	1477	2210	2069	2715	3151	1673	2497	2342	3060	3547	1896	2819	2647	3447	3997	2151	3182	2419	1974	2696	2378
KDI-0828B-15-2	1608	2076	2392	1323	1925	1811	2327	2676	1494	2163	2036	2611	3001	1684	2430	2293	2931	3358	1901	2732	2079	1723	2732	2079
KDI-0828B-20-2	1771	2286	2634	1456	2118	1994	2562	2946	1644	2381	2242	2876	3304	1854	2675	2524	3227	3697	2093	3008	2289	1896	3008	2289
KDI-0828B-25-2	1907	2460	2836	1567	2281	2146	2759	3172	1770	2564	2413	3095	3557	1995	2880	2718	3474	3980	2254	3238	2465	2041	3238	2465
KDI-1020A-7.5-2	1158	1522	1770	933	1396	1307	1715	1991	1057	1578	1480	1933	2241	1198	1781	1672	2177	2525	1359	2011	1528	1246	1704	1502
KDI-1020A-10-2	1277	1679	1952	1030	1540	1442	1892	2195	1166	1739	1632	2132	2471	1320	1964	1843	2401	2785	1499	2217	1685	1375	1879	1657
KDI-1020A-15-2	1467	1929	2242	1182	1769	1656	2172	2522	1339	1998	1874	2450	2839	1517	2256	2118	2759	3199	1722	2548	1936	1579	2158	1903
KDI-1020A-20-2	1618	2128	2472	1305	1951	1827	2397	2781	1477	2203	2067	2701	3131	1673	2489	2336	3042	3528	1899	2810	2136	1742	2380	2099
KDI-1020B-15-2	1522	1966	2264	1252	1822	1715	2203	2533	1414	2048	1927	2472	2840	1594	2301	2170	2774	3179	1801	2587	1968	1631	2587	1968
KDI-1020B-20-2	1674	2162	2490	1377	2004	1886	2423	2786	1555	2253	2119	2719	3123	1752	2530	2386	3051	3496	1980	2844	2165	1794	2844	2165
KDI-1022A-7.5-2	1213	1595	1854	978	1463	1370	1797	2086	1108	1652	1551	2026	2348	1256	1867	1752	2282	2646	1424	2107	1601	1307	1785	1574
KDI-1022A-10-2	1339	1761	2046	1080	1614	1512	1984	2302	1222	1824	1711	2236	2591	1385	2060	1934	2518	2921	1572	2326	1768	1443	1971	1738
KDI-1022A-15-2	1536	2020	2347	1239	1853	1733	2275	2641	1402	2092	1962	2564	2972	1589	2362	2218	2889	3350	1803	2668	2027	1656	2260	1993
KDI-1022A-20-2	1693	2228	2589	1365	2043	1912	2509	2912	1547	2307	2164	2828	3278	1752	2605	2446	3186	3695	1988	2942	2236	1825	2492	2198
KDI-1022A-25-2	1828	2405	2794	1475	2205	2064	2708	3145	1670	2491	2336	3054	3539	1892	2813	2641	3439	3988	2146	3175	2413	1971	2690	2373
KDI-1022B-15-2	1602	2067	2382	1317	1916	1803	2318	2666	1487	2155	2027	2601	2989	1677	2420	2283	2919	3344	1894	2721	2071	1717	2721	2071
KDI-1022B-20-2	1763	2275	2621	1449	2109	1985	2550	2932	1637	2371	2231	2862	3287	1844	2663	2512	3212	3680	2084	2994	2279	1889	2994	2279
KDI-1022B-25-2	1896	2447	2820	1559	2269	2135	2744	3155	1761	2550	2400	3079	3538	1985	2865	2702	3455	3959	2242	3220	2452	2032	3220	2452
KDI-1024A-7.5-2	1240	1632	1896	1001	1496	1401	1838	2133	1133	1690	1586	2072	2401	1284	1909	1791	2334	2706	1456	2155	1638	1340	1825	1611
KDI-1024A-10-2	1368	1800	2091	1103	1650	1545	2027	2353	1250	1863	1749	2284	2648	1416	2105	1975	2574	2984	1606	2377	1807	1477	2013	1776
KDI-1024A-15-2	1569	2065	2400	1266	1893	1772	2326	2700	1434	2138	2006	2622	3039	1625	2415	2267	2952	3424	1842	2727	2072	1696	2310	2038
KDI-1024A-20-2	1731	2276	2646	1396	2087	1954	2564	2976	1581	2358	2213	2891	3350	1791	2663	2499	3256	3776	2032	3007	2284	1869	2546	2247
KDI-1024A-25-2	1869	2458	2857	1507	2254	2110	2768	3214	1706	2546	2388	3121	3618	1934	2876	2699	3515	4077	2194	3246	2467	2019	2751	2426
KDI-1024B-20-2	1804	2328	2682	1483	2158	2031	2610	3001	1674	2426	2283	2929	3365	1888	2725	2570	3286	3765	2132	3063	2332	1933	3063	2332
KDI-1024B-25-2	1941	2505	2886	1595	2322	2185	2808	3230	1802	2610	2457	3152	3621	2032	2932	2766	3536	4052	2295	3297	2510	2080	3297	2510
KDI-1124A-10-2	1494	1965	2283	1205	1802	1686	2214	2569	1364	2036	1909	2495	2891	1546	2299	2157	2810	3258	1753	2595	1972	1610	2198	1939
KDI-1124A-15-2	1713	2254	2620	1382	2067	1935	2539	2948	1565	2335	2190	2863	3317	1774	2637	2476	3224	3738	2012	2977	2262	1847	2522	2224
KDI-1124A-20-2	1889	2485	2889	1523	2279	2133	2799	3250	1725	2574	2414	3155	3657	1955	2908	2729	3554	4122	2217	3283	2495	2036	2780	2452
KDI-1124A-25-2	2039	2681	3116	1644	2458	2302	3020	3506	1862	2778	2605	3404	3946	2110	3136	2944	3835	4446	2393	3541	2692	2196	3000	2646
KDI-1124B-20-2	1958	2526	2910	1610	2341	2203	2832	3257	1817	2633	2477	3178	3651	2048	2957	2790	3566	4086	2314	3324	2530	2097	3324	2530
KDI-1124B-25-2	2107	2720	3133	1732	2520	2372	3049	3506	1956	2834	2667	3421	3931	2205	3184	3003	3840	4399	2491	3579	2725	2257	3579	2725

Korytko KDI R1, 2016

Condition Reference #	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	
Wet Bulb °F	75	75	75	75	75	80	80	80	80	80	85	85	85	85	85	90	90	90	90	90	90	69.8	78	80.6	82.4
Cold Water °F	82	85	87	82	87	87	90	92	87	92	92	95	92	97	92	97	100	102	97	102	80.6	85	89.6	89.6	
Range °F	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	10	10	10	15	15	9	10	9	9	
Approach °F	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	7	10	12	7	12	10.8	7	9	7.2	
Inlet Water Temperature °F	92	95	97	97	102	97	100	102	102	107	102	105	107	107	112	107	110	112	112	117	89.6	95	98.6	98.6	
KDI-1128A-10-2	1626	2138	2485	1311	1961	1836	2408	2795	1484	2215	2078	2715	3147	1683	2502	2348	3059	3546	1908	2824	2146	1755	2392	2110	
KDI-1128A-15-2	1867	2456	2853	1506	2251	2107	2766	3210	1705	2543	2386	3118	3613	1932	2872	2696	3512	4072	2191	3243	2464	2014	2747	2423	
KDI-1128A-20-2	2058	2707	3146	1660	2482	2323	3049	3539	1880	2804	2630	3437	3984	2130	3166	2972	3870	4489	2415	3574	2716	2221	3028	2670	
KDI-1128A-25-2	2221	2921	3395	1791	2679	2508	3290	3820	2028	3026	2838	3709	4299	2299	3417	3207	4177	4844	2607	3857	2932	2397	3269	2883	
KDI-1128A-30-2	2365	3109	3614	1907	2851	2669	3502	4066	2159	3221	3022	3948	4576	2446	3638	3415	4447	5157	2775	4106	3121	2552	3479	3068	
KDI-1128B-20-2	2157	2785	3208	1774	2581	2428	3121	3590	2004	2902	2731	3503	4025	2259	3259	3075	3932	4504	2551	3664	2790	2312	3664	2790	
KDI-1128B-25-2	2323	2998	3455	1910	2780	2616	3362	3866	2157	3125	2941	3772	4334	2432	3511	3311	4234	4851	2747	3946	3004	2489	3946	3004	
KDI-1128B-30-2	2469	3185	3670	2030	2952	2779	3571	4106	2292	3319	3123	4007	4604	2583	3729	3518	4497	5153	2918	4191	3191	2643	4191	3191	
KDI-1132A-15-2	2082	2738	3181	1678	2510	2349	3083	3579	1901	2836	2660	3476	4029	2154	3203	3005	3915	4539	2443	3616	2747	2242	3062	2701	
KDI-1132A-20-2	2297	3022	3512	1853	2771	2595	3404	3951	2098	3131	2936	3837	4447	2378	3535	3318	4322	5011	2696	3991	3034	2476	3381	2982	
KDI-1132A-25-2	2487	3271	3802	2006	3000	2808	3685	4278	2272	3389	3179	4154	4814	2574	3827	3592	4679	5426	2919	4321	3284	2680	3660	3228	
KDI-1132A-30-2	2636	3468	4030	2126	3180	2977	3906	4534	2407	3592	3369	4403	5104	2728	4057	3808	4960	5751	3095	4580	3481	2840	3880	3422	
KDI-1132A-40-2	2909	3824	4445	2346	3507	3284	4308	5001	2655	3961	3716	4857	5629	3009	4475	4200	5469	6343	3414	5052	3839	3133	4279	3774	
KDI-1132B-25-2	2582	3331	3839	2122	3088	2906	3735	4295	2397	3472	3267	4191	4816	2702	3900	3679	4703	5389	3051	4385	3337	2765	4385	3337	
KDI-1132B-30-2	2744	3541	4080	2256	3283	3089	3970	4565	2548	3690	3473	4455	5119	2872	4145	3911	5000	5729	3244	4660	3547	2938	4660	3547	
KDI-1132B-40-2	3017	3894	4486	2480	3610	3396	4365	5020	2801	4058	3818	4898	5629	3158	4558	4300	5498	6299	3567	5125	3900	3231	5125	3900	
KDI-1136A-15-2	2301	3026	3516	1855	2774	2597	3408	3955	2100	3134	2939	3842	4452	2380	3539	3322	4327	5017	2700	3995	3037	2479	3385	2985	
KDI-1136A-20-2	2536	3336	3877	2045	3059	2864	3757	4361	2316	3455	3241	4236	4909	2624	3902	3663	4771	5532	2977	4406	3349	2734	3732	3292	
KDI-1136A-25-2	2736	3599	4183	2207	3300	3090	4054	4706	2499	3729	3498	4570	5297	2832	4210	3953	5147	5970	3212	4754	3613	2950	4027	3552	
KDI-1136A-30-2	2911	3828	4449	2347	3511	3286	4312	5006	2657	3965	3719	4860	5633	3011	4478	4203	5474	6348	3416	5055	3842	3136	4283	3777	
KDI-1136A-40-2	3211	4222	4908	2589	3872	3625	4755	5520	2931	4373	4103	5361	6214	3322	4939	4636	6038	7002	3768	5577	4239	3460	4724	4167	
KDI-1136B-25-2	2844	3670	4228	2338	3402	3201	4113	4731	2640	3824	3599	4616	5304	2976	4295	4052	5181	5937	3362	4830	3676	3046	4830	3676	
KDI-1136B-30-2	3022	3900	4493	2484	3616	3402	4372	5028	2806	4064	3824	4906	5637	3162	4565	4307	5506	6309	3572	5132	3907	3237	5132	3907	
KDI-1136B-40-2	3319	4285	4937	2729	3972	3737	4804	5524	3082	4465	4202	5390	6193	3475	5016	4732	6049	6931	3925	5639	4292	3555	5639	4292	