

DIRS Table 3b - SI Units - Cooling Towers (CT)

| Condition Reference # (工况) | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
|-------------------------------------|--------|--------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Wet Bulb ° C (湿球) | 13 | 13 | 13 | 13 | 13 | 16 | 16 | 16 | 16 | 16 | 18 | 18 | 18 | 18 | 18 |
| Range ° C (温降) | 6 | 6 | 6 | 8 | 8 | 6 | 6 | 6 | 8 | 8 | 6 | 6 | 6 | 8 | 8 |
| Approach ° C (逼近度) | 4 | 6 | 7 | 4 | 7 | 4 | 6 | 7 | 4 | 7 | 4 | 6 | 7 | 4 | 7 |
| Inlet Water Temperature ° C (进口温度) | 23 | 25 | 26 | 25 | 28 | 26 | 28 | 29 | 28 | 31 | 28 | 30 | 31 | 30 | 33 |
| Outlet Water Temperature ° C (出口温度) | 17 | 19 | 20 | 17 | 20 | 20 | 22 | 23 | 20 | 23 | 22 | 24 | 25 | 22 | 25 |
| HMK-90N | 9.25 | 12.90 | 14.61 | 6.76 | 11.31 | 11.60 | 15.78 | 17.94 | 9.05 | 14.37 | 13.22 | 18.06 | 20.50 | 10.66 | 16.52 |
| HMK-100N | 10.28 | 14.34 | 16.23 | 7.51 | 12.56 | 12.89 | 17.54 | 19.93 | 10.06 | 15.97 | 14.69 | 20.07 | 22.78 | 11.84 | 18.35 |
| HMK-115N | 11.82 | 16.49 | 18.67 | 8.63 | 14.45 | 14.82 | 20.17 | 22.92 | 11.57 | 18.37 | 16.90 | 23.08 | 26.20 | 13.62 | 21.10 |
| HMK-125N | 12.85 | 17.92 | 20.29 | 9.38 | 15.70 | 16.11 | 21.92 | 24.92 | 12.57 | 19.96 | 18.36 | 25.09 | 28.48 | 14.80 | 22.94 |
| HMK-135N | 13.88 | 19.35 | 21.92 | 10.13 | 16.96 | 17.40 | 23.67 | 26.91 | 13.58 | 21.56 | 19.83 | 27.09 | 30.75 | 15.98 | 24.77 |
| HMK-150N | 15.42 | 21.50 | 24.35 | 11.26 | 18.84 | 19.33 | 26.30 | 29.90 | 15.09 | 23.96 | 22.04 | 30.11 | 34.17 | 17.76 | 27.53 |
| HMK-160N | 16.45 | 22.94 | 25.97 | 12.01 | 20.10 | 20.62 | 28.06 | 31.89 | 16.10 | 25.55 | 23.51 | 32.11 | 36.45 | 18.94 | 29.36 |
| HMK-175N | 17.99 | 25.09 | 28.41 | 13.13 | 21.98 | 22.56 | 30.69 | 34.88 | 17.60 | 27.95 | 25.71 | 35.12 | 39.87 | 20.72 | 32.11 |
| HMK-185N | 19.02 | 26.52 | 30.03 | 13.89 | 23.24 | 23.85 | 32.44 | 36.88 | 18.61 | 29.54 | 27.18 | 37.13 | 42.14 | 21.90 | 33.95 |
| HMK-200N | 20.56 | 28.67 | 32.47 | 15.01 | 25.12 | 25.78 | 35.07 | 39.87 | 20.12 | 31.94 | 29.38 | 40.14 | 45.56 | 23.68 | 36.70 |
| HMK-225N | 23.13 | 32.26 | 36.52 | 16.89 | 28.26 | 29.00 | 39.46 | 44.85 | 22.63 | 35.93 | 33.06 | 45.16 | 51.26 | 26.64 | 41.29 |
| HMK-250N | 25.70 | 35.84 | 40.58 | 18.76 | 31.40 | 32.22 | 43.84 | 49.83 | 25.15 | 39.93 | 36.73 | 50.18 | 56.95 | 29.60 | 45.88 |
| HMK-275N | 28.27 | 39.42 | 44.64 | 20.64 | 34.54 | 35.45 | 48.22 | 54.82 | 27.66 | 43.92 | 40.40 | 55.19 | 62.65 | 32.56 | 50.46 |
| HMK-300N | 30.84 | 43.01 | 48.70 | 22.52 | 37.68 | 38.67 | 52.61 | 59.80 | 30.18 | 47.91 | 44.07 | 60.21 | 68.34 | 35.52 | 55.05 |
| HMK-330N | 33.92 | 47.31 | 53.57 | 24.77 | 41.45 | 42.54 | 57.87 | 65.78 | 33.20 | 52.70 | 48.48 | 66.23 | 75.17 | 39.07 | 60.56 |
| HMK-350N | 35.98 | 50.18 | 56.82 | 26.27 | 43.96 | 45.11 | 61.38 | 69.77 | 35.21 | 55.90 | 51.42 | 70.25 | 79.73 | 41.44 | 64.23 |
| HMK-400N | 41.12 | 57.34 | 64.93 | 30.02 | 50.24 | 51.56 | 70.14 | 79.73 | 40.24 | 63.88 | 58.77 | 80.28 | 91.12 | 47.36 | 73.40 |
| HMK-430N | 44.20 | 61.65 | 69.80 | 32.27 | 54.01 | 55.43 | 75.41 | 85.71 | 43.26 | 68.67 | 63.17 | 86.30 | 97.95 | 50.91 | 78.91 |
| HMK-450N | 46.26 | 64.51 | 73.05 | 33.78 | 56.52 | 58.00 | 78.91 | 89.70 | 45.27 | 71.87 | 66.11 | 90.32 | 102.51 | 53.28 | 82.58 |
| HMK-500N | 51.40 | 71.68 | 81.17 | 37.53 | 62.81 | 64.45 | 87.68 | 99.67 | 50.30 | 79.85 | 73.46 | 100.35 | 113.90 | 59.20 | 91.75 |
| HMK-530N | 54.48 | 75.98 | 86.04 | 39.78 | 66.57 | 68.32 | 92.94 | 105.65 | 53.32 | 84.64 | 77.87 | 106.37 | 120.73 | 62.75 | 97.26 |
| HMK-550N | 56.54 | 78.85 | 89.28 | 41.28 | 69.09 | 70.89 | 96.45 | 109.63 | 55.33 | 87.84 | 80.80 | 110.39 | 125.29 | 65.12 | 100.93 |
| HMK-600N | 61.68 | 86.02 | 97.40 | 45.03 | 75.37 | 77.34 | 105.22 | 119.60 | 60.36 | 95.82 | 88.15 | 120.42 | 136.68 | 71.04 | 110.10 |
| HMK-650N | 66.82 | 93.18 | 105.52 | 48.79 | 81.65 | 83.78 | 113.98 | 129.57 | 65.39 | 103.81 | 95.50 | 130.46 | 148.07 | 76.96 | 119.28 |
| HMK-700N | 71.96 | 100.35 | 113.63 | 52.54 | 87.93 | 90.23 | 122.75 | 139.53 | 70.42 | 111.79 | 102.84 | 140.49 | 159.46 | 82.88 | 128.45 |
| HMK-770N | 79.16 | 110.39 | 125.00 | 57.79 | 96.72 | 99.25 | 135.03 | 153.49 | 77.46 | 122.97 | 113.13 | 154.54 | 175.41 | 91.17 | 141.30 |
| HMK-800N | 82.24 | 114.69 | 129.87 | 60.04 | 100.49 | 103.12 | 140.29 | 159.47 | 80.48 | 127.76 | 117.53 | 160.56 | 182.24 | 94.72 | 146.80 |
| HMK-850N | 87.38 | 121.86 | 137.98 | 63.80 | 106.77 | 109.56 | 149.06 | 169.43 | 85.51 | 135.75 | 124.88 | 170.60 | 193.63 | 100.64 | 155.98 |
| HMK-900N | 92.52 | 129.03 | 146.10 | 67.55 | 113.05 | 116.01 | 157.83 | 179.40 | 90.54 | 143.73 | 132.22 | 180.63 | 205.02 | 106.56 | 165.15 |
| HMK-950N | 97.66 | 136.19 | 154.22 | 71.30 | 119.33 | 122.45 | 166.59 | 189.37 | 95.57 | 151.72 | 139.57 | 190.67 | 216.41 | 112.48 | 174.33 |
| HMK-1000N | 102.80 | 143.36 | 162.33 | 75.06 | 125.61 | 128.90 | 175.36 | 199.33 | 100.60 | 159.70 | 146.92 | 200.70 | 227.80 | 118.40 | 183.50 |

DIRS Table 3b - SI Units - Cooling Towers

| Condition Reference # (工况) | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Wet Bulb ° C (湿球) | 21 | 21 | 21 | 21 | 21 | 24 | 24 | 24 | 24 | 24 | 27 | 27 | 27 | 27 | 27 |
| Range ° C (温降) | 6 | 6 | 6 | 8 | 8 | 6 | 6 | 6 | 8 | 8 | 6 | 6 | 6 | 8 | 8 |
| Approach ° C (逼近度) | 4 | 6 | 7 | 4 | 7 | 4 | 6 | 7 | 4 | 7 | 4 | 6 | 7 | 4 | 7 |
| Inlet Water Temperature ° C (进口温度) | 31 | 33 | 34 | 33 | 36 | 34 | 36 | 37 | 36 | 39 | 37 | 39 | 40 | 39 | 42 |
| Outlet Water Temperature ° C (出口温度) | 25 | 27 | 28 | 25 | 28 | 28 | 30 | 31 | 28 | 31 | 31 | 33 | 34 | 31 | 34 |
| | | | | | | | | | | | | | | | |
| HMK-90N | 15.69 | 21.36 | 24.36 | 13.12 | 19.94 | 18.42 | 25.15 | 28.41 | 15.44 | 23.76 | 21.16 | 29.03 | 32.85 | 17.96 | 27.29 |
| HMK-100N | 17.43 | 23.74 | 27.07 | 14.57 | 22.15 | 20.46 | 27.94 | 31.57 | 17.16 | 26.40 | 23.51 | 32.26 | 36.50 | 19.95 | 30.32 |
| HMK-115N | 20.04 | 27.30 | 31.13 | 16.76 | 25.47 | 23.53 | 32.13 | 36.30 | 19.73 | 30.36 | 27.04 | 37.10 | 41.98 | 22.94 | 34.87 |
| HMK-125N | 21.79 | 29.67 | 33.84 | 18.22 | 27.69 | 25.58 | 34.93 | 39.46 | 21.45 | 33.00 | 29.39 | 40.33 | 45.63 | 24.94 | 37.90 |
| HMK-135N | 23.53 | 32.05 | 36.55 | 19.67 | 29.90 | 27.62 | 37.72 | 42.62 | 23.17 | 35.64 | 31.74 | 43.55 | 49.28 | 26.93 | 40.93 |
| HMK-150N | 26.15 | 35.61 | 40.61 | 21.86 | 33.23 | 30.69 | 41.91 | 47.35 | 25.74 | 39.60 | 35.27 | 48.39 | 54.75 | 29.93 | 45.48 |
| HMK-160N | 27.89 | 37.98 | 43.31 | 23.32 | 35.44 | 32.74 | 44.70 | 50.51 | 27.46 | 42.24 | 37.62 | 51.62 | 58.40 | 31.92 | 48.51 |
| HMK-175N | 30.50 | 41.54 | 47.37 | 25.50 | 38.76 | 35.81 | 48.90 | 55.25 | 30.03 | 46.20 | 41.14 | 56.46 | 63.88 | 34.91 | 53.06 |
| HMK-185N | 32.25 | 43.91 | 50.08 | 26.96 | 40.98 | 37.86 | 51.69 | 58.40 | 31.75 | 48.84 | 43.49 | 59.68 | 67.53 | 36.91 | 56.09 |
| HMK-200N | 34.86 | 47.48 | 54.14 | 29.15 | 44.30 | 40.93 | 55.88 | 63.14 | 34.32 | 52.80 | 47.02 | 64.52 | 73.00 | 39.90 | 60.64 |
| HMK-225N | 39.22 | 53.41 | 60.91 | 32.79 | 49.84 | 46.04 | 62.87 | 71.03 | 38.61 | 59.40 | 52.90 | 72.59 | 82.13 | 44.89 | 68.22 |
| HMK-250N | 43.58 | 59.34 | 67.68 | 36.43 | 55.38 | 51.16 | 69.85 | 78.92 | 42.90 | 66.00 | 58.78 | 80.65 | 91.25 | 49.88 | 75.80 |
| HMK-275N | 47.93 | 65.28 | 74.44 | 40.08 | 60.91 | 56.27 | 76.84 | 86.82 | 47.19 | 72.60 | 64.65 | 88.72 | 100.38 | 54.86 | 83.38 |
| HMK-300N | 52.29 | 71.21 | 81.21 | 43.72 | 66.45 | 61.39 | 83.82 | 94.71 | 51.48 | 79.20 | 70.53 | 96.78 | 109.50 | 59.85 | 90.96 |
| HMK-330N | 57.52 | 78.33 | 89.33 | 48.09 | 73.10 | 67.53 | 92.20 | 104.18 | 56.63 | 87.12 | 77.58 | 106.46 | 120.45 | 65.84 | 100.06 |
| HMK-350N | 61.01 | 83.08 | 94.75 | 51.00 | 77.53 | 71.62 | 97.79 | 110.49 | 60.06 | 92.40 | 82.29 | 112.91 | 127.75 | 69.83 | 106.12 |
| HMK-400N | 69.72 | 94.95 | 108.28 | 58.29 | 88.60 | 81.85 | 111.76 | 126.28 | 68.64 | 105.60 | 94.04 | 129.04 | 146.00 | 79.80 | 121.28 |
| HMK-430N | 74.95 | 102.07 | 116.40 | 62.66 | 95.25 | 87.99 | 120.14 | 135.75 | 73.79 | 113.52 | 101.09 | 138.72 | 156.95 | 85.79 | 130.38 |
| HMK-450N | 78.44 | 106.82 | 121.82 | 65.58 | 99.68 | 92.08 | 125.73 | 142.06 | 77.22 | 118.80 | 105.80 | 145.17 | 164.25 | 89.78 | 136.44 |
| HMK-500N | 87.15 | 118.69 | 135.35 | 72.86 | 110.75 | 102.31 | 139.70 | 157.85 | 85.80 | 132.00 | 117.55 | 161.30 | 182.50 | 99.75 | 151.60 |
| HMK-530N | 92.38 | 125.81 | 143.48 | 77.24 | 117.40 | 108.45 | 148.08 | 167.32 | 90.95 | 139.92 | 124.60 | 170.98 | 193.45 | 105.74 | 160.70 |
| HMK-550N | 95.87 | 130.56 | 148.89 | 80.15 | 121.83 | 112.54 | 153.67 | 173.63 | 94.38 | 145.20 | 129.31 | 177.43 | 200.75 | 109.73 | 166.76 |
| HMK-600N | 104.58 | 142.43 | 162.43 | 87.44 | 132.90 | 122.78 | 167.64 | 189.42 | 102.96 | 158.40 | 141.06 | 193.56 | 219.00 | 119.70 | 181.92 |
| HMK-650N | 113.30 | 154.30 | 175.96 | 94.72 | 143.98 | 133.01 | 181.61 | 205.20 | 111.54 | 171.60 | 152.82 | 209.69 | 237.25 | 129.68 | 197.08 |
| HMK-700N | 122.01 | 166.16 | 189.50 | 102.01 | 155.05 | 143.24 | 195.58 | 220.99 | 120.12 | 184.80 | 164.57 | 225.82 | 255.50 | 139.65 | 212.24 |
| HMK-770N | 134.21 | 182.78 | 208.45 | 112.21 | 170.56 | 157.56 | 215.14 | 243.08 | 132.13 | 203.28 | 181.03 | 248.40 | 281.05 | 153.62 | 233.46 |
| HMK-800N | 139.44 | 189.90 | 216.57 | 116.58 | 177.20 | 163.70 | 223.52 | 252.56 | 137.28 | 211.20 | 188.08 | 258.08 | 292.00 | 159.60 | 242.56 |
| HMK-850N | 148.16 | 201.77 | 230.10 | 123.87 | 188.28 | 173.93 | 237.49 | 268.34 | 145.86 | 224.40 | 199.84 | 274.21 | 310.25 | 169.58 | 257.72 |
| HMK-900N | 156.87 | 213.64 | 243.64 | 131.16 | 199.35 | 184.16 | 251.46 | 284.13 | 154.44 | 237.60 | 211.59 | 290.34 | 328.50 | 179.55 | 272.88 |
| HMK-950N | 165.59 | 225.51 | 257.17 | 138.44 | 210.43 | 194.39 | 265.44 | 299.91 | 163.02 | 250.80 | 223.35 | 306.47 | 346.75 | 189.53 | 288.04 |
| HMK-1000N | 174.30 | 237.38 | 270.71 | 145.73 | 221.50 | 204.63 | 279.41 | 315.69 | 171.60 | 264.00 | 235.10 | 322.60 | 365.00 | 199.50 | 303.20 |

DIRS Table 3b - SI Units - Cooling Towers

| Condition Reference # (工况) | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 |
|-------------------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Wet Bulb ° C (湿球) | 29 | 29 | 29 | 29 | 29 | 32 | 32 | 32 | 32 | 32 | 21 | 25.56 | 27 | 28 |
| Range ° C (温降) | 6 | 6 | 6 | 8 | 8 | 6 | 6 | 6 | 8 | 8 | 5 | 5.56 | 5 | 5 |
| Approach ° C (逼近度) | 4 | 6 | 7 | 4 | 7 | 4 | 6 | 7 | 4 | 7 | 6 | 3.89 | 5 | 4 |
| Inlet Water Temperature ° C (进口温度) | 39 | 41 | 42 | 41 | 44 | 42 | 44 | 45 | 44 | 47 | 32 | 35.00 | 37 | 37 |
| Outlet Water Temperature ° C (出口温度) | 33 | 35 | 36 | 33 | 36 | 36 | 38 | 39 | 36 | 39 | 27 | 29.44 | 32 | 32 |
| | | | | | | | | | | | | | | |
| HMK-90N | 23.08 | 31.74 | 35.78 | 19.78 | 29.75 | 26.09 | 35.74 | 40.21 | 22.64 | 33.38 | 24.09 | 20.39 | 28.61 | 25.00 |
| HMK-100N | 25.64 | 35.27 | 39.76 | 21.97 | 33.05 | 28.99 | 39.71 | 44.68 | 25.15 | 37.09 | 26.76 | 22.66 | 31.79 | 27.78 |
| HMK-115N | 29.48 | 40.56 | 45.72 | 25.27 | 38.01 | 33.34 | 45.67 | 51.38 | 28.93 | 42.65 | 30.78 | 26.06 | 36.56 | 31.94 |
| HMK-125N | 32.05 | 44.09 | 49.70 | 27.47 | 41.31 | 36.24 | 49.64 | 55.85 | 31.44 | 46.36 | 33.45 | 28.32 | 39.74 | 34.72 |
| HMK-135N | 34.61 | 47.61 | 53.68 | 29.66 | 44.62 | 39.14 | 53.61 | 60.32 | 33.96 | 50.07 | 36.13 | 30.59 | 42.92 | 37.50 |
| HMK-150N | 38.46 | 52.91 | 59.64 | 32.96 | 49.58 | 43.49 | 59.57 | 67.02 | 37.73 | 55.63 | 40.14 | 33.99 | 47.68 | 41.67 |
| HMK-160N | 41.02 | 56.43 | 63.62 | 35.16 | 52.88 | 46.38 | 63.54 | 71.49 | 40.24 | 59.34 | 42.82 | 36.25 | 50.86 | 44.44 |
| HMK-175N | 44.87 | 61.72 | 69.58 | 38.45 | 57.84 | 50.73 | 69.49 | 78.19 | 44.02 | 64.90 | 46.83 | 39.65 | 55.63 | 48.61 |
| HMK-185N | 47.43 | 65.25 | 73.56 | 40.65 | 61.14 | 53.63 | 73.47 | 82.66 | 46.53 | 68.61 | 49.51 | 41.92 | 58.81 | 51.39 |
| HMK-200N | 51.28 | 70.54 | 79.52 | 43.94 | 66.10 | 57.98 | 79.42 | 89.36 | 50.31 | 74.17 | 53.52 | 45.32 | 63.58 | 55.56 |
| HMK-225N | 57.69 | 79.36 | 89.46 | 49.44 | 74.36 | 65.23 | 89.35 | 100.53 | 56.59 | 83.44 | 60.21 | 50.98 | 71.53 | 62.50 |
| HMK-250N | 64.10 | 88.18 | 99.40 | 54.93 | 82.63 | 72.48 | 99.28 | 111.70 | 62.88 | 92.72 | 66.90 | 56.65 | 79.47 | 69.44 |
| HMK-275N | 70.51 | 96.99 | 109.34 | 60.42 | 90.89 | 79.72 | 109.21 | 122.87 | 69.17 | 101.99 | 73.59 | 62.31 | 87.42 | 76.39 |
| HMK-300N | 76.92 | 105.81 | 119.28 | 65.92 | 99.15 | 86.97 | 119.13 | 134.04 | 75.46 | 111.26 | 80.28 | 67.97 | 95.37 | 83.33 |
| HMK-330N | 84.61 | 116.39 | 131.21 | 72.51 | 109.07 | 95.67 | 131.05 | 147.44 | 83.00 | 122.38 | 88.31 | 74.77 | 104.90 | 91.67 |
| HMK-350N | 89.74 | 123.45 | 139.16 | 76.90 | 115.68 | 101.47 | 138.99 | 156.38 | 88.03 | 129.80 | 93.66 | 79.30 | 111.26 | 97.22 |
| HMK-400N | 102.56 | 141.08 | 159.04 | 87.89 | 132.20 | 115.96 | 158.84 | 178.72 | 100.61 | 148.34 | 107.04 | 90.63 | 127.16 | 111.11 |
| HMK-430N | 110.25 | 151.66 | 170.97 | 94.48 | 142.12 | 124.66 | 170.76 | 192.12 | 108.16 | 159.47 | 115.07 | 97.43 | 136.69 | 119.44 |
| HMK-450N | 115.38 | 158.72 | 178.92 | 98.87 | 148.73 | 130.46 | 178.70 | 201.06 | 113.19 | 166.89 | 120.43 | 101.96 | 143.05 | 125.00 |
| HMK-500N | 128.19 | 176.35 | 198.80 | 109.86 | 165.25 | 144.95 | 198.56 | 223.40 | 125.76 | 185.43 | 133.81 | 113.29 | 158.94 | 138.89 |
| HMK-530N | 135.89 | 186.93 | 210.73 | 116.45 | 175.17 | 153.65 | 210.47 | 236.80 | 133.31 | 196.56 | 141.83 | 120.09 | 168.48 | 147.22 |
| HMK-550N | 141.01 | 193.99 | 218.68 | 120.85 | 181.78 | 159.45 | 218.41 | 245.74 | 138.34 | 203.97 | 147.19 | 124.62 | 174.84 | 152.78 |
| HMK-600N | 153.83 | 211.62 | 238.56 | 131.83 | 198.30 | 173.94 | 238.27 | 268.08 | 150.92 | 222.52 | 160.57 | 135.95 | 190.73 | 166.67 |
| HMK-650N | 166.65 | 229.26 | 258.44 | 142.82 | 214.83 | 188.44 | 258.12 | 290.42 | 163.49 | 241.06 | 173.95 | 147.28 | 206.63 | 180.56 |
| HMK-700N | 179.47 | 246.89 | 278.32 | 153.81 | 231.35 | 202.93 | 277.98 | 312.76 | 176.07 | 259.60 | 187.33 | 158.61 | 222.52 | 194.44 |
| HMK-770N | 197.42 | 271.58 | 306.15 | 169.19 | 254.49 | 223.22 | 305.78 | 344.04 | 193.68 | 285.56 | 206.06 | 174.47 | 244.77 | 213.89 |
| HMK-800N | 205.11 | 282.16 | 318.08 | 175.78 | 264.40 | 231.92 | 317.69 | 357.44 | 201.22 | 296.69 | 214.09 | 181.27 | 254.31 | 222.22 |
| HMK-850N | 217.93 | 299.80 | 337.96 | 186.76 | 280.93 | 246.42 | 337.54 | 379.78 | 213.80 | 315.23 | 227.47 | 192.60 | 270.21 | 236.11 |
| HMK-900N | 230.75 | 317.43 | 357.84 | 197.75 | 297.45 | 260.91 | 357.40 | 402.12 | 226.38 | 333.78 | 240.85 | 203.93 | 286.10 | 250.00 |
| HMK-950N | 243.57 | 335.07 | 377.72 | 208.74 | 313.98 | 275.41 | 377.26 | 424.46 | 238.95 | 352.32 | 254.23 | 215.25 | 301.99 | 263.89 |
| HMK-1000N | 256.39 | 352.70 | 397.60 | 219.72 | 330.50 | 289.90 | 397.11 | 446.80 | 251.53 | 370.86 | 267.61 | 226.58 | 317.89 | 277.78 |