



LAXUN COOLING TOWER

览讯® 冷却塔

中国地区免费服务热线: 400-110-1996

STD-201RS Table 3b - SI Units - Cooling Towers (CT)

Table with columns for Flow Unit (L/S), Condition Reference #, and various temperature and flow rate parameters (1-49). Rows include models like LC-18181C, LC-25181C, LC-22221C, etc.



LAXUN COOLING TOWER

览讯® 冷却塔

中国地区免费服务热线: 400-110-1996

STD-201RS Table 3b - SI Units - Cooling Towers (CT)

Table with columns for Flow Unit (L/S), Condition Reference #, and various temperature and flow rate values for cooling towers. The table includes rows for different tower models (e.g., LC-24241P, LC-24241H) and their performance metrics under various conditions.



LAXUN COOLING TOWER

览讯® 冷却塔

中国地区免费服务热线: 400-110-1996

STD-201RS Table 3b - SI Units - Cooling Towers (CT)

Table with columns for Flow Unit (L/S), Condition Reference #, and 49 numbered columns representing different operating conditions. Rows include various cooling tower models like LC-31253C, LC-31253L, etc.



LAXUN COOLING TOWER

览讯® 冷却塔

中国地区免费服务热线: 400-110-1996

STD-201RS Table 3b - SI Units - Cooling Towers (CT)

Table with 49 columns (Flow Unit, Condition Reference #, 1-49) and 49 rows (Wet Bulb °C, Range °C, Approach °C, Inlet Water Temperature °C, Outlet Water Temperature °C, and various model numbers like LC-33333P, LC-37331C, etc.).



LAXUN COOLING TOWER

览讯® 冷却塔

中国地区免费服务热线: 400-110-1996

STD-201RS Table 3b - SI Units - Cooling Towers (CT)

Table with columns for Flow Unit (L/S), Condition Reference #, and 49 numbered columns representing different operating conditions. Rows include Wet Bulb °C, Range °C, Approach °C, and various model numbers (e.g., LC-4441C, LC-4441L, etc.) with their corresponding performance values.



LAXUN COOLING TOWER

览讯® 冷却塔

中国地区免费服务热线: 400-110-1996

STD-201RS Table 3b - SI Units - Cooling Towers (CT)

Flow Unit (L/S)	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	
Wet Bulb °C	10	10	10	10	10	13	13	13	13	13	16	16	16	16	16	18	18	18	18	18	21	21	21	21	21	24	24	24	24	24	27	27	27	27	27	29	29	29	29	29	29	32.2	32.2	32.2	32.2	32.2	21	25.56	27	28
Range °C	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	8	8	6	6	6	6	8	8	6	6	8	8	5	5.56	5	5	
Approach °C	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	4	6	7	4	7	6	3.89	5	4	
Wet Bulb Temperature °C	20	22	23	22	25	23	25	26	25	28	26	28	29	28	31	28	30	31	30	33	31	33	34	33	36	34	36	37	36	39	37	39	40	39	42	39	41	42	41	44	42.2	44.2	45.2	44.2	47.2	32	35.00	37	37	
Wet Bulb Temperature °C	14	16	17	14	17	17	19	20	17	20	20	22	23	20	23	22	24	25	22	25	25	27	28	25	28	28	30	31	28	31	31	33	34	31	34	33	35	36	33	36	36.2	38.2	39.2	36.2	39.2	27	29.44	32	32	
LC-62621P	42.64	61.71	70.69	26.33	49.96	63.82	88.11	98.80	46.13	76.23	82.57	113.45	127.58	64.15	101.18	96.96	136.42	150.35	78.15	121.11	117.35	159.79	182.23	96.18	146.19	135.05	184.41	208.36	113.26	174.24	155.17	212.92	236.08	131.67	200.11	169.22	232.78	282.42	145.02	218.13	191.33	262.09	294.89	166.01	244.77	174.61	146.08	213.89	189.28	
LC-62621H	47.07	68.12	78.03	29.07	55.15	70.45	97.26	109.07	50.93	84.15	91.14	125.24	140.83	70.82	111.69	107.04	150.60	165.97	86.27	133.69	129.54	176.39	201.16	106.17	161.38	149.08	203.57	230.61	125.02	192.34	171.29	235.04	260.61	145.35	220.90	186.80	256.97	289.68	160.08	240.79	211.21	289.32	325.53	183.26	270.20	192.75	161.25	236.11	208.95	
LC-62622C	40.20	58.18	66.65	24.83	47.11	60.18	83.08	93.16	43.50	71.87	77.85	106.97	120.29	60.49	95.40	91.42	128.63	144.76	73.68	114.19	110.64	150.66	171.81	90.68	137.84	127.31	173.87	196.45	106.78	164.28	146.30	200.75	222.59	124.15	188.68	159.55	219.48	247.42	136.73	205.67	180.40	247.12	278.04	156.52	230.78	164.63	137.73	201.67	178.46	
LC-62622L	42.91	62.11	71.15	26.51	50.29	64.24	88.68	99.44	46.43	76.73	83.10	114.19	128.41	64.57	101.84	97.59	137.31	151.32	78.65	121.90	118.11	160.82	183.41	96.81	147.14	135.93	185.60	209.71	113.99	175.37	156.17	214.30	237.62	132.53	201.41	170.32	234.29	264.12	145.96	219.55	192.58	263.80	296.80	167.09	246.36	175.74	147.03	217.51	190.51	
LC-62622P	44.85	64.92	74.36	27.70	52.56	67.14	92.69	103.93	48.53	80.19	86.86	119.35	134.21	67.48	106.43	102.00	143.51	158.16	82.21	127.40	123.44	168.09	191.69	101.18	153.78	142.07	193.99	219.18	119.14	183.29	163.23	223.98	248.35	138.51	210.51	178.01	244.87	276.05	152.55	229.46	201.27	275.71	310.21	174.63	257.48	183.68	153.67	225.00	199.11	
LC-62622H	49.28	71.33	81.70	30.44	57.75	73.77	101.84	114.20	53.32	88.11	95.43	131.14	147.46	74.15	116.95	112.08	157.68	173.78	90.33	139.98	135.64	184.69	210.62	111.17	168.97	156.10	213.15	240.83	130.91	201.39	179.35	246.10	272.87	152.19	231.30	195.59	269.06	303.31	167.62	252.12	221.15	302.94	340.84	191.88	282.91	201.82	168.84	247.22	218.78	
LC-62623C	45.13	65.32	74.82	27.87	52.88	67.55	93.26	104.58	48.83	80.69	87.39	120.08	135.03	67.90	107.09	102.63	144.39	159.13	82.71	128.19	124.21	169.12	192.88	101.80	154.73	142.95	195.18	220.51	119.87	184.42	164.23	225.36	249.88	139.37	211.81	179.11	246.39	277.75	153.49	230.88	202.52	277.41	312.12	175.71	259.07	184.81	154.61	236.39	200.34	
LC-62623L	47.29	68.41	78.40	29.21	55.41	70.78	97.72	109.58	51.17	84.55	91.57	125.83	141.50	71.15	112.22	107.54	151.30	166.75	86.67	134.32	130.15	177.22	202.11	106.67	162.14	149.79	204.52	231.09	125.61	193.25	172.09	236.14	261.84	146.03	221.94	187.68	258.16	291.04	160.84	241.93	312.21	290.69	327.08	184.12	271.47	193.65	162.01	237.22	209.93	
LC-62623P	52.05	75.33	86.29	32.15	60.99	77.91	107.56	120.62	56.32	93.06	100.79	138.50	155.74	78.32	123.52	118.37	166.54	183.54	95.40	147.85	143.26	195.06	222.46	117.42	178.47	164.87	225.12	254.36	138.26	212.71	189.42	259.92	288.20	160.74	244.29	206.58	284.18	320.35	177.03	266.29	233.58	319.96	359.99	202.66	298.81	213.16	178.33	261.11	231.07	
LC-62623H	55.37	80.14	91.80	34.20	64.89	82.89	114.43	128.31	59.91	99.00	107.23	147.34	165.69	83.31	131.40	125.93	177.17	195.28	101.49	157.29	152.40	207.51	236.66	124.91	189.86	175.39	239.49	270.60	147.09	226.29	201.51	276.51	306.60	171.00	259.89	219.76	302.31	340.80	188.33	283.29	248.49	340.38	382.97	215.60	317.88	226.76	189.71	277.78	245.82	
LC-68681C	49.83	72.13	82.62	30.78	58.40	74.60	102.99	115.48	53.92	89.10	96.51	132.61	149.12	74.98	118.26	113.34	159.45	175.73	91.34	141.56	137.16	186.76	212.99	112.42	170.87	157.85	215.54	243.54	132.38	203.66	181.36	248.86	275.94	153.90	233.90	197.79	272.08	306.72	169.50	254.96	223.61	306.34	344.67	194.04	286.09	204.09	170.74	250.00	221.24	
LC-68681L	54.54	78.94	90.42	33.69	63.91	81.64	112.71	126.39	59.02	97.52	105.62	145.13	163.20	82.06	129.43	124.04	174.51	192.33	99.97	154.93	150.11	204.40	233.11	123.04	187.01	172.76	235.90	266.51	144.88	222.89	198.49	272.37	302.00	168.44	255.99	216.47	297.78	335.69	185.51	279.04	244.76	335.28	377.23	212.36	313.11	223.36	186.87	273.61	242.13	
LC-68681P	58.14	84.15	96.39	35.91	68.13	87.03	120.15	134.73	62.91	103.95	112.59	154.71	173.97	87.48	137.97	132.22	186.03	205.02	106.56	165.15	160.02	217.89	248.49	131.16	199.35	184.16	251.46	284.13	154.44	237.60	211.59	290.34	321.93	179.55	272.88	230.75	317.43	357.84	197.75	297.45	260.91	357.40	402.12	226.38	333.78	238.10	199.20	291.66	258.11	
LC-68681H	61.46	88.96	101.90	37.96	72.02	92.00	127.02	142.43	66.50	109.89	119.02	163.55	183.91	92.48	145.85	139.78	196.66	216.74	112.65	174.59	169.16	230.34	262.69	138.65	210.74	194.69	265.83	300.36	163.27	251.18	223.68	306.93	340.33	189.81	288.47	243.94	335.57	378.29	209.05	314.45	275.82	377.82	425.10	239.31	352.85	251.71	210.58	308.33	272.86	
LC-68682C	52.33	75.74	86.75	32.32	61.32	78.33	108.14	121.26	56.62	93.56	101.33	139.24	156.57	78.73	124.17	119.00	167.43	184.52	95.91	148.64	144.02	196.10	223.64	118.04	179.42	165.75	226.32	255.71	139.00	213.84	190.43	261.31	289.74	161.60	245.59	207.68	285.69	322.06	177.98	267.71	234.82	321.66	361.91	203.74	300.40	214.29	179.28	262.50	232.30	
LC-68682L	57.31	82.95	95.01	35.40	67.16	85.79	118.43	132.81	62.01	102.47	110.98	152.50	171.48	86.23	136.00	130.34	183.37	202.09	105.04	162.79	157.73	214.78	244.94	129.28	196.50	181.53	247.87	280.07	152.23	234.21	208.57	286.19	317.33	176.99	268.98	227.45	312.90	352.73	194.99	293.20	257.18	352.29	396.38	223.14	329.01	234.70	196.35	287.50	254.42	
LC-68682P	60.91	88.16	100.98	37.62	71.37	91.17	125.87	141.15	65.91	108.90	117.95	162.08	182.25	91.65	144.54	138.52	194.89	214.78	111.64	173.01	167.64	228.27	260.32	137.40	208.84	192.93	263.44	297.65	161.79	248.91	221.67	304.17	337.26	188.10	285.87	241.74	332.55	374.88	307.17	311.61	373.33	374.42	421.27	237.15	349.67	249.44	208.68	305.55	270.40	
LC-68682H	64.51	93.37	106.95	39.84	75.59	96.56	133.31	149.49	69.80	115.34	124.92	171.65	193.02	97.06	153.08	146.71	206.40	227.47	118.23	183.24	177.55	241.75	275.71	145.52	221.18	204.33	279.01	315.24	171.35	263.62	234.76	322.14	357.19	199.22	302.77	256.02	352.20	397.03	219.41	330.03	289.49	396.54	446.16	251.17	370.33	264.18	221.01	323.61	286.38	
LC-68683C	55.65	80.54	92.26	34.37	65.21	83.30	115.00																																											